

Spontaneous Hemoperitoneum in Pregnancy (SHiP) and Endometriosis - Impact on Quality of Life and Illness Perception

No registrations found.

Ethical review	Positive opinion
Status	Recruiting
Health condition type	-
Study type	Observational non invasive

Summary

ID

NL-OMON21857

Source

NTR

Brief title

n.a.

Health condition

Endometriosis, SHiP, hemoperitoneum, pregnancy

Sponsors and support

Primary sponsor: VU University Medical Center Amsterdam

Source(s) of monetary or material Support: VU University Medical Center Amsterdam

Intervention

Outcome measures

Primary outcome

The aim of this study is to gain better insight in the psychological and functional recovery of

women, and their partners, after SHIP.

Secondary outcome

This study will further assess personality characteristics, illness perception, coping strategies and QOL of women, and their partners, after SHIP.

Study description

Background summary

The aim of this study is to gain better insight in the psychological and functional recovery of women, and their partners, after SHIP.

Study objective

Increased knowledge in the physiological recovery after SHiP could contribute to appropriate counseling about the emotional impact of the event and could lead to a more extensive follow-up to recognize the need for psychological help of both women and their partner.

Study design

n.a.

Intervention

Questionnaires (SF-36, SVL, UCL, PRISM-RII) and an individual face-to-face in-depth interview will be carried out.

Contacts

Public

VU Medical Centre
Boelelaan 1118

Marit Lier
Amsterdam 1081 HZ
The Netherlands
020 4445278

Scientific

VU Medical Centre

Boelelaan 1118

Marit Lier
Amsterdam 1081 HZ
The Netherlands
020 4445278

Eligibility criteria

Inclusion criteria

Eleven women with SHiP in their obstetrical history, who already gave written permission to include their case in our previous case-series, will be asked to participate in this trial. Partners will be asked separately if they are willing to participate.

Exclusion criteria

If women or their partners are unable or unwilling to give informed consent, they will be excluded from participation in this trial.

Study design

Design

Study type:	Observational non invasive
Intervention model:	Other
Allocation:	Non controlled trial
Masking:	Open (masking not used)
Control:	N/A , unknown

Recruitment

NL	
Recruitment status:	Recruiting
Start date (anticipated):	08-06-2016
Enrollment:	11

Type:

Anticipated

Ethics review

Positive opinion

Date:

10-06-2016

Application type:

First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
NTR-new	NL5813
NTR-old	NTR5968
Other	: VUmc 2016-834

Study results

Summary results

Lier MC, van Waesberghe JH, Maas JW et al. The relation between Spontaneous Hemoperitoneum in Pregnancy (SHiP) and endometriosis - data from a Nationwide Dutch consorted action. Poster presented at the Annual Meeting of the European Society of Human Reproduction and Embryology, 3-6 July 2016, Helsinki, Finland.