

# The vital@work study. The (cost-) effectiveness of a lifestyle intervention in order to improve older workers' vitality.

No registrations found.

<b>Ethical review</b>	Positive opinion
<b>Status</b>	Pending
<b>Health condition type</b>	-
<b>Study type</b>	Interventional

## Summary

### ID

NL-OMON24340

### Source

NTR

### Brief title

The vital@work study

### Health condition

Vitality (vitaliteit), aging (work force) (vergrijzing), Lifestyle (leefstijl/ BRAVO), Early retirement (vroeg pensioen), productivity (productiviteit)

## Sponsors and support

**Primary sponsor:** VU University Medical Center, EMGO Institute

**Source(s) of monetary or material Support:** Sichting Instituut GAK (SIG)

## Intervention

## Outcome measures

### Primary outcome

Vitality and lifestyle behaviour (Physical activity, dietary behaviour, alcohol consumption, smoking habits).

## Secondary outcome

Work engagement and Productivity, General health status, quality of life, sick leave and cost-effectiveness.

## Study description

### Background summary

The Vital@work Study. The (cost-) effectiveness of a lifestyle intervention in order to improve older worker's vitality.

J.E. Strijk, K.I. Proper, A.J. van der Beek, W. van Mechelen, MD

### Background

As a consequence of an aging workforce, workers need to prolong their working life. vitality is of great importance for the endured employability of aging workers. Since having high energy levels is one of the main components of vitality, lifestyle could contribute to aging workers' vitality by positively affecting aging workers activity. As a consequence, a lifestyle intervention which aims to improve lifestyle is considered to be an effective instrument to keep aging workers vital. The aim of this study is to develop and evaluate a lifestyle intervention program to promote health in order to improve older workers' (45 years and older) vitality.

### Methods

The intervention will be evaluated using a RCT design with 2 arms. The older workers in the intervention group (n=230) will be receiving tailored lifestyle intervention during 6 months. The older workers in the control group (n=230) will receive usual care. Measurement will take place at baseline and after 6 and 12 months after implementing the intervention. Primary outcome measures are vitality and lifestyle behaviour (physical activity, dietary behaviour, alcohol consumption, smoking habits). Secondary outcome measures are work engagement, productivity, general health status, quality of life, sick leave and cost-effectiveness.

### Results

No results are available yet. This project will start January 2008 and the follow up measurements will continue until the end of 2010.

## Study objective

Our hypothesis is that older workers in the intervention group will improve lifestyle and thereby vitality at the short term (6 months) and at the long term (12 months), whereas in the control group lifestyle and vitality will remain the same as at baseline.

## Study design

The first follow-up after the baseline measurement (T= 0 weeks) will take place at 6 months (T=24 weeks) after implementing the intervention. The participants will be asked to fill in the same questionnaires as for the baseline measurement. This procedure will be repeated for the second follow-up at twelve months (T=52 weeks) after the start of the intervention.

## Intervention

Detailed information about the format and content of the intervention cannot be given yet, as it will be developed during the first phase of the project using the intervention mapping protocol. The intervention will be aimed to achieve behavioural changes as to a healthier lifestyle among older workers to improve workers' vitality. Based on current literature and experience, the intervention may include the following components: Using social ecological models and implementation intentions, respondents will receive a tailored intervention by means of counselling/ face-to-face/ telephone/internet contacts. The control group will receive care as usual.

## Contacts

### Public

Van der Boechorststraat 7  
1081 BT Amsterdam

Jorien Strijk, Msc.  
Amsterdam 1081 BT  
The Netherlands  
020-4448408

### Scientific

Van der Boechorststraat 7  
1081 BT Amsterdam

Jorien Strijk, Msc.  
Amsterdam 1081 BT  
The Netherlands  
020-4448408

## Eligibility criteria

### Inclusion criteria

1. Aged 45 or older
2. Contract of employment of at least 20 hours a week
3. Contract of employment till the end of the measurements
4. Informed consent

### Exclusion criteria

1. Disease which makes physical activity impossible

## Study design

### Design

Study type:	Interventional
Intervention model:	Parallel
Allocation:	Randomized controlled trial
Masking:	Single blinded (masking used)
Control:	Active

### Recruitment

NL	
Recruitment status:	Pending
Start date (anticipated):	01-12-2007
Enrollment:	450
Type:	Anticipated

## Ethics review

Positive opinion

Date: 03-03-2008

Application type: First submission

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

### Other (possibly less up-to-date) registrations in this register

No registrations found.

### In other registers

Register	ID
NTR-new	NL1195
NTR-old	NTR1240
Other	Research Committee VUmc : WC2007-009
ISRCTN	ISRCTN wordt niet meer aangevraagd

## Study results

### Summary results

N/A