

# Virtual reality imagery rescripting in PTSD patients: A proof of concept pilot study

No registrations found.

<b>Ethical review</b>	Not applicable
<b>Status</b>	Pending
<b>Health condition type</b>	-
<b>Study type</b>	Interventional

## Summary

### ID

NL-OMON24902

### Source

NTR

### Health condition

Post-Traumatic Stress Disorder (PTSD)

## Sponsors and support

**Primary sponsor:** (1) Department of Clinical Psychology, University of Amsterdam.

(2) PsyQ Purmerend.

(3) Delft Technical University.

**Source(s) of monetary or material Support:** N.a. (other than in-kind contributions by the performers).

## Intervention

## Outcome measures

### Primary outcome

PTSD Checklist for DSM-5 (PCL-5)

## Secondary outcome

Hospital Anxiety and Depression Scale (HADS)

Post-Traumatic Cognitions Inventory (PTCI)

Non-fear emotion (e.g., guilt, anger, shame) items (added to PCL-5)

## Study description

### Study design

Primary outcome (PCL-5) is administered weekly throughout the study.

Secondary outcomes are administered at every study phase change.

Presence of PTSD is assessed at the start (when evaluating the in-/exclusion criteria) and end of the study.

### Intervention

(1) Imagery Rescripting (active control treatment)

(2) Virtual Reality Imagery Rescripting (experimental treatment)

## Contacts

### Public

Department of Clinical Psychology  
University of Amsterdam  
Weesperplein 4  
A.A.P. Emmerik, van  
Amsterdam 1018 XA  
The Netherlands  
+31-20-5256810

### Scientific

Department of Clinical Psychology  
University of Amsterdam  
Weesperplein 4  
A.A.P. Emmerik, van  
Amsterdam 1018 XA

## Eligibility criteria

### Inclusion criteria

- Primary diagnosis of PTSD, as established with a structured diagnostic interview (MINI, SCID, or CAPS).
- Index trauma is childhood (<16) sexual abuse.
- Conventional ImRs should be an appropriate treatment if patients were treated outside of the study.
- 16 years or older.
- Sufficient fluency in Dutch to complete research procedures (informed consent and study measures).
- Willingness to provide written informed consent.

### Exclusion criteria

- Other psychopathology that requires immediate other treatment or that would hinder study participation.

## Study design

### Design

Study type:	Interventional
Intervention model:	Crossover
Allocation:	Randomized controlled trial
Masking:	Single blinded (masking used)
Control:	Active

## Recruitment

NL  
Recruitment status: Pending  
Start date (anticipated): 01-03-2018  
Enrollment: 6  
Type: Anticipated

## Ethics review

Not applicable  
Application type: Not applicable

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

### Other (possibly less up-to-date) registrations in this register

No registrations found.

## In other registers

Register	ID
NTR-new	NL6851
NTR-old	NTR7029
Other	: 2018-CP-8752

## Study results