Casemanagement for people with Multiple Sclerosis.

No registrations found.

Ethical review Positive opinion **Status** Recruiting

Health condition type -

Study type Interventional

Summary

ID

NL-OMON24943

Source

NTR

Brief title

CMMS

Sponsors and support

Primary sponsor: UMCG (departmet of Neurology, department of Integrated Care)

Source(s) of monetary or material Support: N/A

Intervention

Outcome measures

Primary outcome

Quality of life

Secondary outcome

- 1. Depression
- 2. Quaity of Care
- 3. Care giver strain

Study description

Background summary

Problems of the chronically ill are often extensive and complex. Healtcare delivery often fragmentated and differentiated. Casemanagement seems to be an organisational solution to this problems.

In this study casemanagement for people with MS is brought into practice. To examine the efftect of casemanagement on the quality of life, the quality of care and the healtcare costs an RCT is conducted in which the casemanagement is compared with the care as usual. because of the impact of living with a patner with an chronic disease the central informal caregiver is also part of the investigation.

Study objective

People with Multiple Sclerosis who recieve care bij a casemanager experience a better quality of live and quality of care compared with people with MS who receive care as usual.

Caregivers of people with Multiple Sclerosis who recieve care bij a casemanager experience a better quality of live compared with caregivers of people with MS who receive care as usual.

healthcare cost for people with MS will increase during the first year in which they receive casemanagement. On the long term costs will decrease.

Intervention

Casemanagement consist of homevisits twice a year by an Nurse practitioner or Nurse specialist MS. During the homevisit the neurological examination is performed and the health status (physically, mentally and socially) of the person with MS is investigated as well as the impact of the disease on the lifes of the person with MS and his/her caregiver.

Based on this investigation a care plan will be developed. Realisation of the goals set in the care plan is monitored bij the casemanager.

In the control group the people with MS receive the care as usual. They will visit their Neurologist at the outpatient clinic once or twice a year (or more if indicated). Both groupd consist of 50 persons with MS and 30 caregivers. The intervention will take place during 15 months.

Contacts

Public

University Medical Center Groningen (UMCG)
Department of Integrated care, P3.264
P.O. Box 30001
C. Annema
Groningen 9700 RB
The Netherlands

Scientific

+31(0)50-3611490

University Medical Center Groningen (UMCG)
Department of Integrated care, P3.264
P.O. Box 30001
C. Annema
Groningen 9700 RB
The Netherlands
+31(0)50-3611490

Eligibility criteria

Inclusion criteria

People with MS

- 1. who have an EDDS score between 4.5 and 8.5
- 2. treated in the University Medical Center of Groningen

caregivers:

- 3. Partner with MS who is participating in the research
- 4. directly involved in care fot the person with MS

Exclusion criteria

- 1. residents of nursing homes
- 2. partipation in other researchprojects

Study design

Design

Study type: Interventional

Intervention model: Parallel

Masking: Open (masking not used)

Control: Active

Recruitment

NL

Recruitment status: Recruiting
Start date (anticipated): 10-08-2006

Enrollment: 160

Type: Anticipated

Ethics review

Positive opinion

Date: 06-09-2006

Application type: First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

NTR-new NL751 NTR-old NTR762

Other : ABR NL13248.042.06

ISRCTN ISRCTN22635159

Study results

Summary results

Wynia K., Nissen J.M.J.F., Hoekzema E.J. & De Keyser J.H.A. Casemanegement for the chronically ill. Characteristics of a patient advocy model for casemanagement in an integrated care setting. Verpleegkunde, 2006 (in press, in Dutch).