What's patients' favorite volume mouthwash to rinse with?

No registrations found.

Ethical review	Not applicable
Status	Recruiting
Health condition type	-
Study type	Interventional

Summary

ID

NL-OMON25174

Source Nationaal Trial Register

Health condition

nvt

Sponsors and support

Primary sponsor: ACTA **Source(s) of monetary or material Support:** GABA international, supplied materials

Intervention

Outcome measures

Primary outcome

Patients' satisfaction, VAS score.

Secondary outcome

N/A

Study description

Background summary

Background of the study:

Maintaining an adequate low level of plaque through daily tooth brushing is often not feasible. Mouthwashes as an adjunct to mechanical plaque control would be valuable. Various mouthwash manufactures advises different volumes for rinsing. Till so far no studies are available about the volume mouthwash for rinsing and patients' satisfaction.

Aim of the study:

The purpose of the study is to assess patients' satisfaction when they rinse for 30 seconds with 5ml, 10ml, 15 ml, 20ml and 30ml mouthwash. In order to investigate what's patients favorite volume mouthwash to rinse with.

Material and methods:

The study is designed as a single blind, randomized 5-arm cross-over clinical trial. On one day 60 subjects will rinse, each one, with five different volumes mouthwash in randomized order: 5ml, 10ml, 15ml, 20ml and 30ml. With each volume they have to rinse for 30 seconds. Subsequently all subjects receive a questionnaire to evaluate their attitude towards the used volumes using Visual Analogue Scales (VAS-scores).

One week later, they will rinse again with the five volumes in the same randomized order and with the same mouthwash.

Study objective

Patients' favorite volume mouthwash for rinsing is 15ml.

Study design

Week 0, week 1.

Intervention

The subjects will rinse with five different volumes mouthwash in randomized order: 5ml, 10ml, 15ml, 20ml and 30ml.

One week later, they will rinse again with the five volumes in the same randomized order and with the same mouthwash.

2 - What's patients' favorite volume mouthwash to rinse with? 13-05-2025

Contacts

Public Acedemisch Centrum Tandheelkunde Amsterdam (ACTA)
 Afdeling CPT- Parodontologie
 Gustav Mahlerlaan 3004 G.A. Weijden, van der

Amsterdam 1081 LA The Netherlands +31 (0)20 5188307 **Scientific** Acedemisch Centrum Tandheelkunde Amsterdam (ACTA)
 Afdeling CPT- Parodontologie
 Gustav Mahlerlaan 3004 G.A. Weijden, van der

Amsterdam 1081 LA The Netherlands +31 (0)20 5188307

Eligibility criteria

Inclusion criteria

 \geq 18 years.

Exclusion criteria

N/A

Study design

Design

Study type:

Interventional

3 - What's patients' favorite volume mouthwash to rinse with? 13-05-2025

Intervention model:	Parallel
Allocation:	Randomized controlled trial
Masking:	Single blinded (masking used)
Control:	N/A , unknown

Recruitment

NL	
Recruitment status:	Recruiting
Start date (anticipated):	01-02-2011
Enrollment:	60
Туре:	Anticipated

Ethics review

Not applicable Application type:

Not applicable

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
NTR-new	NL2647
NTR-old	NTR2775
Other	: PAROT&P201101
ISRCTN	ISRCTN wordt niet meer aangevraagd.

Study results

Summary results

N/A