

Cluster headache and oxygen. Is it possible to predict which patients will be relieved?

No registrations found.

Ethical review	Positive opinion
Status	Pending
Health condition type	-
Study type	Observational non invasive

Summary

ID

NL-OMON25254

Source

NTR

Brief title

N/A

Health condition

Cluster headache, oxygen therapy, response to therapy, predictors, responders, nonresponders.

Cluster hoofdpijn, zuurstof, zuurstoftherapie, reactie op therapie, therapieresistent, voorspellende factoren, responders, non-responders.

Sponsors and support

Primary sponsor: Dr. P. J. Koehler. Department of Neurology, Atrium Medical centre Heerlen

Source(s) of monetary or material Support: Department of Neurology, Atrium Medical centre Heerlen

Intervention

Outcome measures

Primary outcome

We will study factors that differ between responders to oxygen therapy and the nonresponders. Factors that will be studied are for instance patient characteristics, headache characteristics, comorbidities and intoxications. The results will be obtained by questionnaires and by studying the medical file.

Secondary outcome

It may be possible that these characteristics tell us something about the mechanism of action of oxygen and cluster headache pathophysiology.

Study description

Background summary

We will study which factors differ between the cluster headache patients who respond to oxygen therapy and the cluster headache patients who don't respond to oxygen therapy. Factors that will be studied are for instance patient characteristics, headache characteristics, comorbidities and intoxications. The results will be obtained by questionnaires and by studying the medical file.

It may be possible that as a secondary outcome these characteristics tell us something about the mechanism of action of oxygen and cluster headache pathophysiology.

Study objective

We will study which factors differ between the responders to oxygen therapy and the non-responders. Factors that will be studied are for instance patient characteristics, headache characteristics, comorbidities and intoxications.

Study design

We will send questionnaires to the patients who suffer(-ed) from cluster headache.

Intervention

There will be no intervention in this study.

We will send questionnaires to the patients who suffer(-ed) from cluster headache.

Contacts

Public

Atrium medisch centrum

Poli neurologie

Postbus 4446

A. Backx
Heerlen 6401 CX
The Netherlands

Scientific

Atrium medisch centrum

Poli neurologie

Postbus 4446

A. Backx
Heerlen 6401 CX
The Netherlands

Eligibility criteria

Inclusion criteria

1. The only inclusion criterium is to meet the cluster headache criteria of the international headache society for the diagnosis of cluster headache (ICHD-II)

Exclusion criteria

1. Under the age of 18.
2. Uncertainty about the diagnosis.

Study design

Design

Study type: Observational non invasive

Intervention model: Other

Control: N/A , unknown

Recruitment

NL

Recruitment status:	Pending
Start date (anticipated):	20-11-2008
Enrollment:	80
Type:	Anticipated

Ethics review

Positive opinion	
Date:	06-11-2008
Application type:	First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
NTR-new	NL1470
NTR-old	NTR1539
Other	: 08-N-74
ISRCTN	ISRCTN wordt niet meer aangevraagd

Study results

Summary results

N/A