

# Op Koers Online for parents in pediatric oncology

Published: 28-04-2020

Last updated: 15-05-2024

The present study aims to evaluate efficacy and feasibility of an online group intervention for parents of children with cancer that focuses on the specific issues that play a role in parents coping with a child with cancer. Hypothesis: Participants...

<b>Ethical review</b>	Approved WMO
<b>Status</b>	Recruitment stopped
<b>Health condition type</b>	Other condition
<b>Study type</b>	Interventional

## Summary

### ID

NL-OMON25566

### Source

NTR

### Brief title

Op Koers

### Condition

- Other condition

### Health condition

Pediatric Oncology

### Research involving

Human

### Sponsors and support

**Primary sponsor:** Prinses Máxima Centrum voor kinderoncologie

**Source(s) of monetary or material Support:** Prinses Máxima Centrum voor kinderoncologie.

## Intervention

- Psychosocial intervention

**Keyword:** Op Koers Online

### Explanation

## Outcome measures

### Primary outcome

Primary study parameters reflect psychosocial wellbeing, measured with validated standardized questionnaires that are completed online by the parents. Differences between intervention condition and waitlist-control condition in change over time on wellbeing are tested. Questionnaires used for the primary outcomes: - Patient Reported Outcomes Measurement Information System (PROMIS) item banks - anxiety and depression (Computer adaptive testing) - Hospital anxiety and depression scale (HADS) - anxiety and depression - Distress Thermometer for Parents (DT-P) - parental overall distress, thermometer score only - Situation-Specific Emotional Reaction Questionnaire (SSERQ) - Situation-Specific Emotional Reactions - Pediatric Quality Of Life Inventory Family Impact Module (PedsQL FIM) - Family relationships and Worry - Insomnia Severity Index (ISI) - Insomnia

### Secondary outcome

Secondary study parameters reflect coping (online questionnaires) and feasibility (both questionnaires with course leaders and participants, and the recording of logistical and recruitment issues).

## Study description

### Background summary

**RATIONALE** Childhood cancer in the family is stressful for all family members and has long-term consequences for the patients as well as their parents and siblings, including the risk of developing psychosocial problems. The standards of psychosocial care for parents of children with cancer state that access to appropriate interventions for parents and caregivers should be facilitated to optimize parent, child, and family wellbeing. Evidence-based interventions targeted at parents of children with cancer are needed. **OBJECTIVE** The present study aims to evaluate efficacy and feasibility of a cognitive behavioral-based online group intervention that focuses on the specific issues that play a role in parents coping with a child with cancer. The intervention, led by psychologists, aims to improve psychosocial wellbeing and to prevent psychosocial problems by improving coping skills. **STUDY DESIGN** A Randomized Controlled Trial (RCT) with two conditions (Intervention and Waitlist-control) is proposed to assess the efficacy of the online intervention. Feasibility of the intervention will be assessed

cross-sectionally. **STUDY POPULATION** Parents are eligible if their child is diagnosed with any cancer at the age of 0-18 years, is within 5 years from diagnosis, and is still living with their parents at the time of recruitment. **INTERVENTION** The intervention under study is Op Koers Online for parents in pediatric oncology. The main goal of the intervention is to improve psychosocial wellbeing and to prevent psychosocial problems by teaching active use of coping skills. To teach coping skills, cognitive behavioral techniques and acceptance and commitment techniques are used. The intervention consists of protocolled chat sessions with three to six parents under supervision of trained course leaders (psychologist with an assistant).

## **Study objective**

The present study aims to evaluate efficacy and feasibility of an online group intervention for parents of children with cancer that focuses on the specific issues that play a role in parents coping with a child with cancer. Hypothesis: Participants in the intervention group have better coping skills and better psychosocial functioning than participants in the control group, at T1 and T2.

## **Study design**

T0 (before intervention), T1 (directly after intervention 6-8 weeks after T0), T2 (six months after T0). The intervention condition will have an additional measurement at T3 (one year after T0).

## **Intervention**

The intervention under study is Op Koers Online for parents in pediatric oncology. The main goal of the intervention is to improve psychosocial wellbeing and to prevent psychosocial problems by teaching active use of coping skills. To teach coping skills, cognitive behavioral techniques and acceptance and commitment techniques are used. The intervention consists of protocolled chat sessions with three to six parents under supervision of trained course leaders (psychologist with an assistant).

## **Contacts**

### **Public**

Princess Maxima Centre for pediatric oncology  
Mala Joosten

0650006729

### **Scientific**

Princess Maxima Centre for pediatric oncology

Mala Joosten

0650006729

## Eligibility criteria

### Age

Adults (18-64 years)

Adults (18-64 years)

Elderly (65 years and older)

Elderly (65 years and older)

### Inclusion criteria

Parents are eligible for the study - if their child was diagnosed before with childhood cancer at the age of 0-18 years; - if their child is within 5 years from diagnosis for childhood cancer (during or after successful treatment) - if their child still lives with his/her parent(s) - if they have access to a laptop/computer with internet connection - when they have provided written informed consent

### Exclusion criteria

Parents who meet any of the following criteria are excluded from participation: - parents who are not able to follow a group chat course - parents who are not able to fill out Dutch questionnaires

## Study design

### Design

Study phase:	N/A
Study type:	Interventional
Intervention model:	Parallel
Allocation:	Randomized controlled trial
Masking:	Open (masking not used)
Control:	Active
Primary purpose:	Other

## Recruitment

NL  
Recruitment status: Recruitment stopped  
Start date (anticipated): 07-10-2020  
Enrollment: 98  
Type: Actual

## IPD sharing statement

**Plan to share IPD:** No

## Ethics review

Approved WMO  
Date: 30-07-2020  
Application type: First submission  
Review commission: METC Utrecht  
Huispostnr D01.343  
Postbus 85500  
3508 GA Utrecht  
088 755 6376  
metc@umcutrecht.nl

## Study registrations

### Followed up by the following (possibly more current) registration

ID: 49373  
Bron: ToetsingOnline  
Titel:

### Other (possibly less up-to-date) registrations in this register

No registrations found.

## In other registers

Register	ID
NTR-new	NL8565
CCMO	NL73763.041.20
OMON	NL-OMON49373

## Study results

Results posted: 07-10-2020

Actual enrolment: 89

### Baseline characteristics

"89 parents were included in analyses (mean age 41.9 years, 86% female, 62%/38% post/during treatment of their child). Beneficial intervention effects ( $p < 0.05$ ) were found at T1 for anxiety, depression, distress, loneliness and relaxation, and at T2 for

### URL result

Type

ext

Naam

wiley.com

URL