# Intraoperative bile duct visualisation in children with biliary atresia using a multispectral fluorescence camera system: pilot study.

No registrations found.

**Ethical review** Positive opinion **Status** Recruiting

Health condition type -

Study type Interventional

# **Summary**

#### ID

NL-OMON25613

Source

Nationaal Trial Register

**Brief title** 

**FLUBA** 

**Health condition** 

Biliary atresia

## **Sponsors and support**

**Primary sponsor:** University Medical Centre Groningen

Source(s) of monetary or material Support: University Medical Centre Groningen

## Intervention

#### **Outcome measures**

#### **Primary outcome**

Visualisation of the (remnant) biliary structures.

## **Secondary outcome**

N/A

# **Study description**

## **Background summary**

Conventional cholangiography in children with biliary atresia is a cumbersome procedure that is not always successful. Fluorescence cholangiography may provide a simpler, safer method of visualising the (remnant) extrahepatic bile ducts.

## **Study objective**

The diagnosis of biliary atresia may be confirmed by intraoperative fluorescence cholangiography using intravenously or biliary administered indocyanine green.

## Study design

Intraoperative imaging.

#### Intervention

- 1. Intravenous injection with ICG;
- 2. Intrabiliary injection with ICG;
- 3. Imaging using a near-infrared fluorescence camera.

All children receive intravenous injection with ICG. If no signal is received peroperative, intrabillary injection is administered.

## **Contacts**

#### **Public**

Hanzeplein 1 JBF Hulscher Groningen 9700 RB The Netherlands +31 (0)50 3611735

Scientific

Hanzeplein 1 JBF Hulscher Groningen 9700 RB The Netherlands +31 (0)50 3611735

# **Eligibility criteria**

## Inclusion criteria

Children in whom billiary atresia is suspected scheduled to undergo Kasai portoenterostomy.

## **Exclusion criteria**

- 1. History of iodine allergy or anaphylactic reactions to insect bites or medication;
- 2. Presence or history of hyperthyroidism;
- 3. Severe renal or liver failure.

# Study design

## **Design**

Study type: Interventional

Intervention model: Parallel

Allocation: Non controlled trial

Masking: Open (masking not used)

Control: N/A, unknown

## Recruitment

NL

Recruitment status: Recruiting
Start date (anticipated): 21-01-2010

Enrollment: 4

Type: Anticipated

## **Ethics review**

Positive opinion

Date: 19-01-2010

Application type: First submission

# **Study registrations**

## Followed up by the following (possibly more current) registration

No registrations found.

## Other (possibly less up-to-date) registrations in this register

No registrations found.

## In other registers

Register ID

NTR-new NL2053 NTR-old NTR2170

Other UMC Groningen : BA\_BICG\_UMCG\_1 ISRCTN wordt niet meer aangevraagd.

# **Study results**

#### **Summary results**

N/A