# Dementia risk reduction in the general practice: a tailored approach

No registrations found.

Ethical review	Positive opinion
Status	Pending
Health condition type	-
Study type	Interventional

# **Summary**

## ID

NL-OMON25703

**Source** Nationaal Trial Register

**Brief title** Dementia risk reduction in the general practice (PRIMA-Brain)

#### Health condition

Dementia / cognitive decline

## **Sponsors and support**

**Primary sponsor:** Maastricht University Medical Center **Source(s) of monetary or material Support:** ZonMw

## Intervention

## **Outcome measures**

#### **Primary outcome**

The main endpoint of the PoC trial is the feasibility of the intervention. It will be evaluated on the basis of the following endpoints:

1. The difference in total LIBRA score change between the intervention and control group.

2. Use of the app

3. Participants' awareness of modifiable dementia risk and protective factors at baseline and

1 - Dementia risk reduction in the general practice: a tailored approach 14-05-2025

after 3 months

4. Participants' understandings of and attitudes towards their health profile and the MijnBreincoach app

5. Participants views regarding supports and barriers to embed behavior changes into everyday life and, and whether the MijnBreincoach app helps or hinders participants make and maintain changes to individual health-related behaviors

6. Perspectives of involved primary care practitioners on the LIBRA score, and theMijnBreincoach app in terms of acceptability, demand, integration and implementation.7. Further, the number of excluded individuals, and the number of dropouts will be recorded.

The main endpoint of the embedded pilot study will be the usability of ESM-based questionnaires and feedback. This will be evaluated based on:

1. The obtained data points coming from the ESM-questionnaires will be examined in an exploratory manner. These will include measures of:

- Context (time, location, social context)
- Current activity
- (Social cognitive) determinants of behavior
- Positive and negative affect

2. The subjective experiences of the participants on the ESM-questionnaires and the ESM-feedback

## Secondary outcome

A secondary study endpoint is the frequency and severity of individual LIBRA factors present within study participants at baseline and at follow-up. All LIBRA factors will be assessed:

- Low/moderate alcohol intake (self-reported)
- Coronary heart disease (self-reported or patient dossier)
- Physical activity level (assessed with the European Prospective Investigation into Cancer and Nutrition (EPIC) Physical activity questionnaire)
- Chronic kidney disease (self-reported or patient dossier)
- Diabetes (self-reported or patient dossier)
- Hyperlipidemia (self-reported or patient dossier)
- Smoking (self-reported)
- Obesity (self-reported height and weight)
- Hypertension (measured)

- Mediterranean diet adherence (assessed with the MEditerranean Diet Adherence Screener (MEDAS))

- Depression (assessed with the Patient Health Questionnaire 9 (PHQ-9))
- Cognitive activity (assessed with the Cognitive Reserve Index Questionnaire (CRIq))

# **Study description**

## **Background summary**

Rationale: Dementia is an important public health problem in our aging society. As there is currently no treatment available, attention is shifting towards preventive strategies. Robust evidence indicates that health and lifestyle factors influence dementia risk. Yet, these findings have not been translated in public risk reduction strategies.

Objective: To evaluate the feasibility of supplying a tailored, digital health app, designed to increase insight in how to reduce one's dementia risk, in the general practice. Secondly, we aim to explore the usability of experience sampling method (ESM) technology as a form of coaching that could be added to this digital health app.

Study design: Primary care-based Proof-of-Concept (PoC) trial with embedded ESM pilot study Study population: 40 to 60 years old volunteers, both men and women, who meet the eligibility criteria

Intervention: In the PoC trial, both the intervention (n=90) and control group (n=90) will get one session of personal face-to-face general practitioner (GP) guidance about living a brainhealthy lifestyle (based on their individual "Lifestyle for BRAin health'' (LIBRA) score; a validated risk score that assesses how brain-healthy one's current lifestyle is, based on 12 modifiable risk and protective factors for dementia). The intervention group will additionally get access to the personalized digital health app called MijnBreincoach. This app provides the user with daily messages (e.g. tip, quiz, challenge, information) regarding a LIBRA risk or protective factor that the user chose to focus on. Within the ESM pilot study, one additional group of participants (n=20) will get access to the MijnBreincoach app but participants will also be asked to respond to ESM questionnaires and they will receive ESM-based feedback. The total duration of study participation will be 3 months.

Main study parameters/endpoints: Feasibility will be evaluated on the basis of: (1) difference in change in LIBRA scores between groups; (2) use of the health app (percentage of completers, access to and time spent on app); (3) the number of excluded individuals and dropouts; (4) participants' understandings, attitudes and views towards their LIBRA profile and the health app, including their role when embedding behavior change into everyday life; and (5) perspectives of involved primary care practitioners on the LIBRA profile and health app in terms of acceptability, demand, integration and implementation.

Usability of ESM technology will be evaluated based on ESM-derived data points, response rates and participants' subjective experiences regarding the method and its feedback.

Nature and extent of the burden and risks associated with participation, benefit and group relatedness: The participants need to fill in an online questionnaire at the start of the study. Afterwards, all participants need to plan one appointment with their GP or practice nurse. This appointment will consist of a blood pressure measurement (if no recent measurement is available), and a discussion of the participant's LIBRA profile along with personal advice and setting sustainable and realistic lifestyle goals. After this appointment, the intervention group will get access to the MijnBreincoach app which they can use on a daily basis at their own discretion. After 3 months, online questionnaires will be administered. These are not considered burdensome or stressful. A subsample of participants (n=10) from the intervention group and ESM-pilot study, and involved health care professionals (n=4) will be asked to participate in a short interview at the end of the study. The ESM- group will

additionally be asked to collect ESM data for 6 consecutive days. Specifically, they will receive a short questionnaire at 10 random moments during the day (between 7:30 AM and 10:30 PM), after which they will receive personal feedback. No negative effects because of participation are expected, as use of provided information is at the discretion of the participant and drawn from authoritative public health resources. Participating in the study has an additional advantage to the participants. The study will increase knowledge about modifiable dementia risk factors, give people insight in their individual health profile, and provide them with strategies and tips to promote their cognitive health.

#### **Study objective**

We hypothesize that providing persons with information on their personal LIfestyle for BRAin health (LIBRA) profile and access to behavior change support through a smartphone application is feasible.

#### Study design

- 1. Baseline questionnaire
- 2. GP visit to discuss brain health
- 3. Three months after GP visit: follow-up questionnaires and interviews

#### Intervention

The intervention that will be tested in both the PoC trial and pilot study consists of the following:

- One session of personalized GP guidance concerning dementia risk reduction
- Access to a smartphone application, called "MijnBreincoach".

Within the pilot study, the participants' treatment will consist of the above explained parts. Additionally, participants will receive ESM questionnaires (10 per day) for 6 consecutive days and personalized, ESM-based feedback.

The control group will get the session of personalized GP guidance concerning dementia risk reduction (care-as-usual).

# Contacts

#### Public

Maastricht University Medical Center Stephanie Van Asbroeck

+3143 388 10 43 Scientific Maastricht University Medical Center Stephanie Van Asbroeck

+3143 388 10 43

# **Eligibility criteria**

## **Inclusion criteria**

- Registered with a participating general practice
- Age 40 60 on date of consent
- Presence of one (or more) of the following risk factors:
- Depression previous history or active episode of minor depression as recorded on medical record if GP deems patient fit to participate
- Diabetes type 2 (diagnosis e.g. on a diabetes disease register) o Hypertension
- Obesity (BMI  $\geq$  30)
- Current smoker
- Hyperlipidemia
- More than moderate consumption of alcohol (>1 standard drink per day)
- Coronary heart disease
- Chronic kidney disease

- Inactive to moderately inactive lifestyle (assessed using the European Prospective Investigation into Cancer and Nutrition (EPIC) Physical activity questionnaire)

- Unhealthy diet (defined as non-adherence to the Mediterranean diet, assessed using the Mediterranean Diet Adherence Screener (MEDAS))

- Lack of cognitive activity (assessed using the Cognitive Reserve Index questionnaire (CRIq))

- Proficient in Dutch language
- Access to internet in order to use the smartphone application
- Owns a smartphone

## **Exclusion criteria**

Active episode of major depression, while GP deems patient unfit to participate, recorded in medical record or assessed by a validated instrument

- People unable to give IC
- People with dementia

• People with certain conditions because of which they cannot make the suggested lifestyle changes by default (e.g. special dietary requirements due to e.g. bariatric surgery or coeliac disease); movement constraints (e.g. due to cerebral palsy or hemiparesis)

• People who have previously used the MijnBreincoach app

# Study design

# Design

Study type:	Interventional
Intervention model:	Parallel
Allocation:	Randomized controlled trial
Masking:	Open (masking not used)
Control:	Active

## Recruitment

NL	
Recruitment status:	Pending
Start date (anticipated):	01-03-2021
Enrollment:	200
Туре:	Anticipated

## **IPD** sharing statement

#### Plan to share IPD: Yes

# **Ethics review**

Positive opinion	
Date:	
Application type:	

06-10-2021 First submission

# **Study registrations**

# Followed up by the following (possibly more current) registration

No registrations found.

# Other (possibly less up-to-date) registrations in this register

No registrations found.

# In other registers

Register	ID
NTR-new	NL9773
Other	METC azM/UM (Maastricht) : METC20-080

# **Study results**