

# TORCH during pregnancy

No registrations found.

<b>Ethical review</b>	Positive opinion
<b>Status</b>	Other
<b>Health condition type</b>	-
<b>Study type</b>	Observational non invasive

## Summary

### ID

NL-OMON25880

### Source

Nationaal Trial Register

### Health condition

pregnancy, TORCH  
inf

## Sponsors and support

**Primary sponsor:** no sponsor, performer: orbis medical centre

**Source(s) of monetary or material Support:** none funding

## Intervention

## Outcome measures

### Primary outcome

Indications for the test, age of the mother at time of the test, trimester and gestational age at time of the test and delivery. Gravidity, parity. Laboratory test outcomes. Fetal conditions directly after birth (apgar, birthweight, length, pH).

### Secondary outcome

Inapplicable

# Study description

## Background summary

We use the TORCH test to detect a maternal primo-infection of toxoplasmosis, rubella virus, cytomegalovirus, herpes simplex virus or others like syphilis during the pregnancy. Most likely the test is requested by a gynaecologist because of abnormal ultrasonographic findings, including fetal growth restriction, polyhydramnios, intra-uterine fetal death and hydrops foetalis. The aim of the study is to evaluate how much woman did have a primo-infection during pregnancy and what the consequences are for the child. Therefore, the laboratory records of all TORCH titres by pregnant woman between 01-10-2005 and 30-09-2013 in Orbis Medical Centre will be reviewed.

## Study objective

The TORCH screen is often requested by gynecologists, but there rarely is a clinical relevant outcome. Isn't it better to reduce the test indications or the number of tested infections to make the test more cost effective and clinical relevant? And if there are minimal or even no clinical effects, isn't it better to stop testing?

## Study design

Period between 1-10-2005 and 30-09-2013

## Intervention

None, retrospective cohort study

# Contacts

## Public

Gynaecoloog <br>  
Orbis Medisch Centrum<br>  
Vakgroep Obstetrie & Gynaecologie<br>  
Dr. H. van der Hoffplein 1  
J. Vellekoop  
Sittard 6162 BG  
The Netherlands  
088 - 459 77 85

## Scientific

Gynaecoloog <br>  
Orbis Medisch Centrum<br>  
Vakgroep Obstetrie & Gynaecologie<br>

Dr. H. van der Hoffplein 1  
J. Vellekoop  
Sittard 6162 BG  
The Netherlands  
088 - 459 77 85

## Eligibility criteria

### Inclusion criteria

Pregnant

### Exclusion criteria

Male, no data about the labour

## Study design

### Design

Study type:	Observational non invasive
Intervention model:	Factorial
Allocation:	Non controlled trial
Masking:	Open (masking not used)
Control:	N/A , unknown

### Recruitment

NL	
Recruitment status:	Other
Start date (anticipated):	26-05-2014
Enrollment:	500
Type:	Unknown

## Ethics review

Positive opinion

Date: 01-05-2014

Application type: First submission

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

### Other (possibly less up-to-date) registrations in this register

No registrations found.

### In other registers

Register	ID
NTR-new	NL4401
NTR-old	NTR4598
Other	METC Atrium-Orbis Heerlen : 14-N-48

## Study results

### Summary results

none