Family Integrated Care in the Neonatal Ward - the AMICA study

No registrations found.

Ethical review Positive opinion **Status** Recruiting

Health condition type -

Study type Interventional

Summary

ID

NL-OMON26390

Source

NTR

Brief title

AMICA

Health condition

Prematurity

Sponsors and support

Primary sponsor: OLVG, JB van Goudoever (Emma Children's Hospital)

Source(s) of monetary or material Support: Stichting OLVG

Intervention

Outcome measures

Primary outcome

Neurodevelopment

Secondary outcome

Breastfeeding, length of stay, sepsis, cortisol, bloodpressure, growth, IVH, ROP, BPD.

1 - Family Integrated Care in the Neonatal Ward - the AMICA study 8-05-2025

Parental: stress, parent-infant bonding, postnatal depression, self-efficacy, empowerment, postnatal PTSD, cortisol

Study description

Background summary

Approximately 7% of the children are born preterm and have to be admitted to the Neonatal department. The AMICA study is a medical-scientific study on the influences of a (prolonged) hospitalisation during the postpartum period on infant and parents. This is often a very stressful

and emotional period for the parents and the child. Sometimes parents and their child are separated and this might pose extra stress. Some children are admitted in the hospital for up to 4 months. We study how parent participation during hospital stay can influence health outcomes of infants and their parents in the short- and longterm.

Study objective

Family Integrated Care in Single Family Rooms improves neurodevelopmental outcome in preterm infants

Study design

during hospital stay, discharge, and 1,3,6,12,18 and 24 months of corrected age.

Intervention

Single Family Rooms with Family Integrated Care

Contacts

Public

OLVG Nicole Van Veenendaal Oosterpark 9

Amsterdam 1091 AC The Netherlands 020-5994731 **Scientific** OLVG Nicole Van Veenendaal Oosterpark 9

Amsterdam 1091 AC The Netherlands 020-5994731

Eligibility criteria

Inclusion criteria

Hospitalised children:

- Born between 24 and 36 6/7 weeks gestational age, with a postconceptional age < 44 weeks on admission
- At least 1 week of hospital stay on the Neonatal Ward
- Will visit the Outpatient Clinic of the OLVG East, OLVG West or NWZA after discharge or consents to gather required information through infant health centers
- Written informed consent from the parents

Healthy controls:

Born at term (37 to 41 weeks of gestational age)

- Spontaneous vaginal birth without hospitalisation post-partum
- Written informed consent from the parents

Exclusion criteria

Metabolic or chromosomal/syndromal diseases

- Therapeutic hypothermia for perinatal asphyxia
- Severe psychiatric or psychosocial problems i.e. parents under supervision of youth care
- Transfer to another hospital before discharge
- Parents are unable to answer the guestionnaires in Dutch/English
- Death of an infant

Study design

Design

Study type: Interventional

Intervention model: Parallel

3 - Family Integrated Care in the Neonatal Ward - the AMICA study 8-05-2025

Allocation: Non-randomized controlled trial

Masking: Open (masking not used)

Control: Active

Recruitment

NL

Recruitment status: Recruiting
Start date (anticipated): 16-05-2017

Enrollment: 600

Type: Anticipated

IPD sharing statement

Plan to share IPD: Undecided

Ethics review

Positive opinion

Date: 23-12-2016

Application type: First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

NTR-new NL6175 NTR-old NTR6322 Register ID

Other NLABR / MEC-U: 56691

Study results