

Dutch validation of Hip Outcome Score in FAI

No registrations found.

Ethical review	Positive opinion
Status	Recruiting
Health condition type	-
Study type	Observational non invasive

Summary

ID

NL-OMON26525

Source

Nationaal Trial Register

Brief title

HOS validation

Health condition

Dutch
Validation
Hip Outcome Score

Sponsors and support

Primary sponsor: Vakgroep orthopedie, Reinier de Graaf Gasthuis, Delft the Netherlands

Source(s) of monetary or material Support: Initiator = sponsor

Intervention

Outcome measures

Primary outcome

Reliability, construct validity and content validity: high correlation of HOS-NL with mHHS, HAGOS and iHOT-12-NL, no floor-and/or ceiling effects, a good sensitivity to change and a good test-retest reliability with a high intraclass correlation coefficient.

Secondary outcome

Minimal clinical important difference after 6 months, minimal detectable change and responsiveness after 6 months.

Study description

Background summary

Validations of the Dutch translation of the Hip Outcome Score for femoroacetabular impingement patients for reliability, construct validity and content validity and to determine minimal clinical important difference after 6 months.

Study objective

HOS is reliable, has a good construct validity and content validity.

Study design

Two times with a one-week interval preoperatively.

One time 6 months post-operatively.

Intervention

Patients will be asked to fill in five questionnaires at three moments: two pre-operative moments with a one-week interval, and one moment six months postoperatively. The required questionnaires are: HOS-NL, mHHS, HAGOS-NL, iHOT-12-NL and NRS for pain.

Contacts

Public

N.M.C. Mathijssen
Reinier de Graafweg 5

Delft 2625 AD
The Netherlands

Scientific

N.M.C. Mathijssen
Reinier de Graafweg 5

Eligibility criteria

Inclusion criteria

18-65 years of age

Physical examination and radiological examination suspect for FAI

Inclusion will not interfere with standard care for FAI

Informed consent

Understand dutch language

Exclusion criteria

Prior hip surgery for FAI

Pathological fractures of metastatic disease

Refuse to participate

Do not speak Dutch language

Study design

Design

Study type:	Observational non invasive
Intervention model:	Parallel
Allocation:	Non controlled trial
Masking:	Open (masking not used)
Control:	N/A , unknown

Recruitment

NL
Recruitment status: Recruiting
Start date (anticipated): 01-11-2017
Enrollment: 140
Type: Anticipated

Ethics review

Positive opinion
Date: 25-10-2017
Application type: First submission

Study registrations

Followed up by the following (possibly more current) registration

ID: 47747
Bron: ToetsingOnline
Titel:

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
NTR-new	NL6018
NTR-old	NTR6782
CCMO	NL61937.098.17
OMON	NL-OMON47747

Study results