

# An observational study to evaluate the use of Souvenaid in real world daily clinical practice in patients with early Alzheimer's Disease.

No registrations found.

<b>Ethical review</b>	Positive opinion
<b>Status</b>	Recruitment stopped
<b>Health condition type</b>	-
<b>Study type</b>	Observational non invasive

## Summary

### ID

NL-OMON26650

### Source

NTR

### Brief title

AWARE

### Health condition

early Alzheimer's Disease  
Souvenaid  
daily clinical practice  
IADL

## Sponsors and support

**Primary sponsor:** Nutricia Advanced Medical Nutrition  
Zoetermeer, The Netherlands

**Source(s) of monetary or material Support:** Nutricia Advanced Medical Nutrition  
Zoetermeer, The Netherlands

## Intervention

## Outcome measures

### Primary outcome

IADL (Amsterdam IADL Questionnaire).

### Secondary outcome

Compliance.

## Study description

### Background summary

Currently recorded and published data regarding the use of Souvenaid result from controlled clinical trials in controlled patient populations. This observational study AWARE is developed to evaluate the use of Souvenaid in real world daily clinical practice in patients with early Alzheimer's Disease. The AWARE study is an open-label observational multi-centre study in real world daily clinical practice in The Netherlands.

### Study objective

The primary endpoint is to evaluate the use of Souvenaid in patients with early AD in real world clinical practice by assessing the effect of Souvenaid on patients' functioning on instrumental activities of daily living (IADL) as perceived by the caregiver.

### Study design

1. Baseline;
2. 6 months;
3. 12 months.

### Intervention

1 Souvenaid per day.

## Contacts

### Public

Nutricia Advanced Medical Nutrition<br>  
Postbus 445  
Karina Roozen  
Zoetermeer 2700 AK  
The Netherlands  
+31 (0)6 55860755

**Scientific**

Nutricia Advanced Medical Nutrition<br>  
Postbus 445  
Karina Roozen  
Zoetermeer 2700 AK  
The Netherlands  
+31 (0)6 55860755

## Eligibility criteria

### Inclusion criteria

1. The patient is diagnosed with early AD as judged by the HCP (based on criteria used in the memory clinic);
2. The patient has a MMSE score of >20;
3. The HCP has decided to prescribe Souvenaid (up to 1 month ago);
4. A responsible caregiver of the patient is available;
5. The patient and caregiver are willing to give written approval of collecting anonymous data.

### Exclusion criteria

1. The patient participates in any other study involving investigational or marketed products concomitantly or has participated in such a study within two weeks prior to entry into the study;
2. HCP's uncertainty about medical status, willingness or ability of the patient to comply with protocol requirements.

## Study design

### Design

Study type:	Observational non invasive
Intervention model:	Parallel
Allocation:	Non controlled trial
<b>Control:</b>	N/A , unknown

### Recruitment

NL	
Recruitment status:	Recruitment stopped
Start date (anticipated):	20-02-2013
Enrollment:	315
Type:	Actual

## Ethics review

Positive opinion	
Date:	13-02-2013
Application type:	First submission

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

### Other (possibly less up-to-date) registrations in this register

No registrations found.

### In other registers

<b>Register</b>	<b>ID</b>
NTR-new	NL3685
NTR-old	NTR3855
Other	METC IRBN te Nijmegen : IRBN2012014 HdJ 1
ISRCTN	ISRCTN wordt niet meer aangevraagd.

## Study results

### Summary results

N/A