

Psychosocial care after stroke: Patient survey

Published: 11-05-2021

Last updated: 08-03-2024

To determine: 1) How neuropsychiatric problems change over time during the first year after stroke; 2) Which determinants are related to the course of neuropsychiatric problems over time during the first year after stroke; 3) What are the...

Ethical review	Positive opinion
Status	Recruitment stopped
Health condition type	Other condition
Study type	Observational non invasive

Summary

ID

NL-OMON26792

Source

Nationaal Trial Register

Brief title

UPACT: Patient survey

Condition

- Other condition

Health condition

Neuropsychiatric problems after stroke

Research involving

Human

Sponsors and support

Primary sponsor: Universitair Medisch Centrum Utrecht / Hogeschool Utrecht

Source(s) of monetary or material Support: Regieorgaan SIA, RAAK Publiek, kenmerk RAAK PUB04.010

Intervention

Outcome measures

Primary outcome

- Symptoms of depression
- Symptoms of anxiety
- Symptoms of apathy
- Symptoms of emotional lability
- Symptoms of fatigue

Study description

Background summary

After stroke, approximately 30% of patients suffer from neuropsychiatric problems, such as depression and anxiety. Neuropsychiatric problems can have a negative impact on the recovery after stroke. Nevertheless, stroke care is often mainly focused on physical recovery. However, timely identification followed by – if necessary – adequate treatment of neuropsychiatric problems might not only reduce these problems, but also improve the general recovery after stroke.

Study objective

To determine: 1) How neuropsychiatric problems change over time during the first year after stroke; 2) Which determinants are related to the course of neuropsychiatric problems over time during the first year after stroke; 3) What are the relationships between different neuropsychiatric problems during the first year after stroke.

Study design

A quantitative observational cross-sectional study. All patients who have been admitted with a stroke to one of the participating hospitals during the last year will receive a survey once to identify their neuropsychiatric problems.

Intervention

No interventions

Contacts

Public

Janneke de Man-van Ginkel

+31621435277

Scientific

Janneke de Man-van Ginkel

+31621435277

Eligibility criteria

Age

Adults (18-64 years)

Adults (18-64 years)

Elderly (65 years and older)

Elderly (65 years and older)

Inclusion criteria

- Being admitted to hospital in the last year with intracerebral haemorrhage or ischemic infarction, based on clinical diagnosis of a physician - Being 18 years or older

Exclusion criteria

Patients will not be excluded from this study based on specific characteristics.

Study design

Design

Study phase:	N/A
Study type:	Observational non invasive
Intervention model:	Other
Allocation:	Non controlled trial
Masking:	Open (masking not used)

Control:	N/A , unknown
Primary purpose:	Other

Recruitment

NL	
Recruitment status:	Recruitment stopped
Start date (anticipated):	22-06-2021
Enrollment:	580
Type:	Actual

IPD sharing statement

Plan to share IPD: Undecided

Plan description

N/A

Ethics review

Positive opinion	
Date:	11-11-2020
Application type:	First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

NTR-new NL9476

Register ID

Other RAAK PUB04.010; Regieorgaan SIA, RAAK Publiek : 20/712; METC Utrecht

Study results

Summary results

Will follow after completion of study.