

Emotions and Dementia

No registrations found.

Ethical review	Not applicable
Status	Pending
Health condition type	-
Study type	Observational non invasive

Summary

ID

NL-OMON26908

Source

Nationaal Trial Register

Brief title

TBA

Health condition

Cognition memory) , Affective functioning, Dementia (Alzheimer)

Sponsors and support

Primary sponsor: University of Twente

Source(s) of monetary or material Support: Netherlands eScience Center

Intervention

Outcome measures

Primary outcome

The main study parameter is the multimodal expression of emotions. We are not only interested in differences in the intensity of the expressed emotions, but also in their composition in terms of the fusion of different modalities. By comparing persons with dementia to healthy controls in a comparative study and assessing changes in multimodal emotion expression in persons with dementia in the longitudinal study, the effect of dementia on emotions can be studied.

Secondary outcome

With the data collected in this study, a corpus will be built for automatic extraction of facial and speech expressions regarding automatic recognition of emotions. The automatic recognition model of emotions can be established through machine learning. The corpus will be made available to other researchers who are interested in further work on automated emotion recognition.

Study description

Background summary

Background: Dementia is a group of neurodegenerative diseases that affect cognitive processing. Nowadays, more than 270.000 persons have dementia in the Netherlands, a figure that will double over the next 25 years. Besides problems in cognitive functioning, 80-90% of the patients also suffer from problems in emotional functioning. It is important to gain more insight in the emotional functioning of persons with dementia as it is highly important to maintain quality of life in person-centered care. Current research uses observational instruments to assess emotional functioning in persons with dementia. However, they do not provide the fine-grained insights that are necessary to understand the factors influencing emotional responses and expressions of persons with dementia. Emotional expression is a continuous process that involves many features of behavioural, facial, vocal, and verbal modalities. Given this complexity, few psychological studies have addressed emotion recognition in an everyday context of persons with dementia.

Recent technological innovations in the field of affective computing aim to take the complexities of emotional expression into account. Automatic emotion detection makes it possible to study latent features that are difficult to observe and track by human beings between different modalities. It also allows us to investigate larger sets of video data in a smaller amount of time and for unobtrusive analysis and monitoring of everyday emotions. However, little is known about how these lab-based technologies generalize to real world problems. Rather than a one-size-fits-all-solution, existing tools need to be adapted to specific user groups in more natural settings. They also need to take large individual differences into account.

Objective: The primary goal of this study is to gain a better understanding of how dementia affects the multimodal expression of emotions in face, gestures, verbal and non-verbal expressions when discussing emotional laden autobiographical memories. Therefore, we carry out an observational comparative study between patients with dementia and matched healthy older adults, as well as a longitudinal study on the development of emotion expression in patients with early dementia across time to gain insight how dementia affects emotions versus normal aging as well as the effect is when the disease progressed over time. The secondary goal of this project is to advance technologies that allow for (automatic) recognition of emotions in persons with dementia. We therefore explore machine learning techniques to advance technologies for multimodal emotion recognition. Furthermore, we

intend to create a corpus of the processed video, audio and qualitative data for other researchers to use.

Study design: This is an observational study that consists of 1) a comparative study between people with early dementia and healthy elderly; and 2) a longitudinal study within people with early dementia. The comparative study consists of two sessions. In the Session 1, participants have to fill in questionnaires, and assess emotional laden memories with a word association task. In Session 2, they discuss these memories in detail via a life story book based on the first session and react to affective pictures. For the comparison study, the data of healthy elderly was already collected in a previous study with ethical approval of the committee at the University of Twente. The longitudinal study has 3 follow-up measurement points: after 3 months (Session 3), 6 months (Session 4) and 12 months (Session 5).

Study objective

The primary goal of this study is to gain a better understanding of how dementia affects the multimodal expression of emotions in face, gestures, verbal and non-verbal expressions when discussing emotional laden autobiographical memories. Therefore, we carry out an observational comparative study between patients with dementia and matched healthy older adults, as well as a longitudinal study on the development of emotion expression in patients with early dementia across time to gain insight how dementia affects emotions versus normal aging as well as the effect is when the disease progressed over time.

The secondary goal of this project is to advance technologies that allow for (automatic) recognition of emotions in persons with dementia. We therefore explore machine learning techniques to advance technologies for multimodal emotion recognition. Furthermore, we intend to create a corpus of the processed video, audio and qualitative data for other researchers to use.

Study design

The person with dementia will have in total 5 sessions of about 120 minutes each, so a total time investment of 10 hours over a period of one year.

Participants are free to collaborate in the study. They may quit without reason and without consequences. There are no known negative effects of reminiscence. Possible side effect might be the recollection of negative memories. The principal investigator has experience with dealing with negative memories and privacy issues. Furthermore, persons with psychotrauma are excluded. Last, participants are free to decide whether and under which conditions their data may be included in the corpus.

Intervention

None, explorative and observation study

Contacts

Public

University of Twente
D. Nazareth

+31534896590

Scientific

University of Twente
D. Nazareth

+31534896590

Eligibility criteria

Inclusion criteria

In order to be eligible to participate in this study, a participant must meet the following criteria:

- 1) Mini-mental state examination (MMSE)
- 2) Being mentally competent to provide informed consent;
- 3) Corrected vision and/or hearing;
- 4) Good proficiency of the Dutch language (speaking and reading).
- 5). Participant has to be 65 years or older

Exclusion criteria

The exclusion criterion is presence of psychotrauma.

Study design

Design

Study type:	Observational non invasive
Intervention model:	Parallel
Allocation:	Non-randomized controlled trial
Masking:	Open (masking not used)

Control: Active

Recruitment

NL

Recruitment status: Pending

Start date (anticipated): 01-07-2019

Enrollment: 30

Type: Anticipated

IPD sharing statement

Plan to share IPD: Undecided

Ethics review

Not applicable

Application type: Not applicable

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register

NTR-new

Other

ID

NL7659

METC Twente : METC19049

Study results