Postoperative medication use after Total Hip Replacement

No registrations found.

Ethical review Positive opinion **Status** Recruiting

Health condition type -

Study type Observational non invasive

Summary

ID

NL-OMON27698

Source NTR

Brief title

TBA

Health condition

Total Hip Replacement

Sponsors and support

Primary sponsor: none

Source(s) of monetary or material Support: none

Intervention

Outcome measures

Primary outcome

Postoperative opioid use up to 6 months after THR

Secondary outcome

Postoperative NSAID use up to 6 months after THR

Study description

Background summary

Standard postoperative pain management after THR includes the use of opioids and NSAIDS. In the USA the opioid crises is still going on. The aim of this study is to look for predictors for a prolonged postoperative use of opioids and NSAIDs in our population.

Study objective

Prolonged postoperative use of opioids is correlated with preoperative use of opioids

Study design

3 weeks, 6 weeks, 3 months, 6 months postoperative

Intervention

none

Contacts

Public

Zaans Medisch Centrum Elsbeth Wesselink

+31 756507100

Scientific

Zaans Medisch Centrum Elsbeth Wesselink

+31 756507100

Eligibility criteria

Inclusion criteria

>18 years scheduled THP

Exclusion criteria

none

Study design

Design

Study type: Observational non invasive

Intervention model: Factorial

Allocation: Non controlled trial

Masking: Open (masking not used)

Control: N/A, unknown

Recruitment

NL

Recruitment status: Recruiting
Start date (anticipated): 01-02-2021

Enrollment: 400

Type: Anticipated

IPD sharing statement

Plan to share IPD: Undecided

Ethics review

Positive opinion

Date: 12-03-2021

Application type: First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

NTR-new NL9338

Other METC VUmc: 2020.129

Study results