Satisfaction of Fentanyl nose spray administrated to decrease pain.

No registrations found.

| Ethical review | Positive opinion |
|-----------------------|----------------------------|
| Status | Recruiting |
| Health condition type | - |
| Study type | Observational non invasive |

Summary

ID

NL-OMON28012

Source Nationaal Trial Register

Health condition

break through pain fentanyl nose spray satisfaction

doorbraakpijnen fentanyl neusspray tevredenheid

Sponsors and support

Primary sponsor: Maastricht university medical center **Source(s) of monetary or material Support:** fund = initiator = sponosor

Intervention

Outcome measures

Primary outcome

Satisfaction of patients using fentanyl nose spray determined by a questionnaire treatment satisfaction questionnaire for medication (TSQM).

1 - Satisfaction of Fentanyl nose spray administrated to decrease pain. 13-05-2025

Secondary outcome

Influence of several covariates of patients.

Study description

Background summary

Satisfaction is determined by the treatment satisfaction questionnaire for medication (TSQM) of fentanyl nose spray used by patients who have (breakthrough) pain. Covariates and describing statistics are measured.

Study objective

To describe the satisfaction of users of fentanyl nose spray to decrease pain.

Study design

Patients fill in the questionnaire.

Intervention

A questionnaire is filled in by patients. No intervention will be given seen the patients are already using fentanyl.

Contacts

Public

PO Box 5800 N. Veldhorst-Janssen Maastricht 6202 AZ The Netherlands +31 (0)43 3876543 **Scientific** PO Box 5800 N. Veldhorst-Janssen Maastricht 6202 AZ The Netherlands +31 (0)43 3876543

Eligibility criteria

Inclusion criteria

- 1. Aged \geq 18 years, either sex;
- 2. (Cancer)patient with pain;
- 3. Informed consent.

Exclusion criteria

- 1. Allergy for opioids;
- 2. Acute or chronic nasal problems like rhinitis or sinusitis;
- 3. Azian female;
- 4. Patients with large facial injuries.

Study design

Design

| Study type: | Observational non invasive |
|---------------------|----------------------------|
| Intervention model: | Parallel |
| Allocation: | Non controlled trial |
| Masking: | Open (masking not used) |
| Control: | N/A , unknown |

Recruitment

| Recruiting |
|-------------|
| 01-07-2010 |
| 25 |
| Anticipated |
| |

3 - Satisfaction of Fentanyl nose spray administrated to decrease pain. 13-05-2025

Ethics review

Positive opinion Date: Application type:

28-04-2011 First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

| Register | ID |
|----------|-------------------------------------|
| NTR-new | NL2742 |
| NTR-old | NTR2880 |
| Other | MEC MUMC : 10-4-055 |
| ISRCTN | ISRCTN wordt niet meer aangevraagd. |

Study results

Summary results N/A