

# Prevention of Dementia by Intensive Vasculair Care.

No registrations found.

<b>Ethical review</b>	Positive opinion
<b>Status</b>	Pending
<b>Health condition type</b>	-
<b>Study type</b>	Interventional

## Summary

### ID

NL-OMON28929

### Source

NTR

### Brief title

Pre-DIVA

### Health condition

Single-centre, multi-site, open, randomized parallel group study, in the Netherlands comparing regular care as controlcondition with a nurse-led, multicomponent intervention directed at vascular factors as the experimental condition.

## Sponsors and support

**Source(s) of monetary or material Support:** -Centraal Fonds RVVZ

-ZON MW

-Ministerie Volksgezondheid, Welzijn en Sport

## Intervention

## Outcome measures

### Primary outcome

Incidence of dementia

## Secondary outcome

Incidence of myocardial infarction, cerebrovascular incidents and cardiovascular mortality.

## Study description

### Background summary

Single-centre, multi-site, open, randomized parallel group study, in the Netherlands comparing regular care as control condition with a nurse-led, multicomponent intervention directed at vascular factors as the experimental condition.

### Study objective

To investigate if interventions aimed at vascular risk factors reduce the incidence of dementia or the burden of functional disability in elderly.

### Intervention

Intensive vascular care for elderly people (aged 70 through 78 years) by nurse practitioners in general practice compared to regular care.

## Contacts

### Public

Academic Medical Center (AMC), Clinical Trial Office Neurology, H2 -233,  
P.O. Box 22660  
M. Jong-Putto, de  
Meibergdreef 9  
Amsterdam 1100 DD  
The Netherlands  
+31 (0)20 5664564

### Scientific

Academic Medical Center (AMC), Clinical Trial Office Neurology, H2 -233,  
P.O. Box 22660  
M. Jong-Putto, de  
Meibergdreef 9  
Amsterdam 1100 DD  
The Netherlands  
+31 (0)20 5664564

## Eligibility criteria

### Inclusion criteria

1. Age: 70-78 years;
2. No demention;
3. No other complaints with bad prognosis;
4. No psychiatry.

### Exclusion criteria

1. Diagnosis of dementia;
2. Any factor that limits the probability of succesful follow up (e.g. alcoholism, imminent emigration);
3. Any factor that limits life expectancy to less than 2 years.

## Study design

### Design

Study type:	Interventional
Intervention model:	Parallel
Masking:	Double blinded (masking used)
Control:	Active

### Recruitment

NL	
Recruitment status:	Pending
Start date (anticipated):	01-01-2006
Enrollment:	3700
Type:	Anticipated

## Ethics review

Positive opinion  
Date: 21-11-2005  
Application type: First submission

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

### Other (possibly less up-to-date) registrations in this register

No registrations found.

### In other registers

Register	ID
NTR-new	NL481
NTR-old	NTR523
Other	: N/A
ISRCTN	ISRCTN29711771

## Study results

### Summary results

Vascular news letter (november 2005)