

Stop Needlestick injuries: AMC Safety Project

No registrations found.

Ethical review	Not applicable
Status	Recruitment stopped
Health condition type	-
Study type	Interventional

Summary

ID

NL-OMON28951

Source

Nationaal Trial Register

Brief title

N/A

Health condition

Needlestick injuries (risk of infection with HIV, Hepatitis B or C for health care workers (and patients))

Prikincidenten, Hepatitis B, Hepatitis C, workshop, HIV, gezondheidszorg medewerkers

Sponsors and support

Primary sponsor: Coronel Instituut of Occupational Health, AMC, UvA, Meibergdreef 9, 1105 AZ Amsterdam.

Source(s) of monetary or material Support: Ministry of Social Affairs and Employment

Intervention

Outcome measures

Primary outcome

½-year incidence of needlestick injuries

Secondary outcome

Behavioural change with respect to the safety measures when using needles

Study description

Study objective

It was hypothesised that a workshop or a workshop in combination with the introduction of safety needles would reduce the incidence of needlestick injuries and increase behavioural change with respect to safety measures when using needles.

Study design

Baseline before randomisation (T0), after six months (T1) and after 12 months (T2).

Intervention

- 1) 'Workshop' consisting of an interactive powerpoint presentation during 1 hour with information exchange about prevalence, causes, risks and prevention of needle stick injuries
- 2) 'Workshop and introduction of safety needles' consisting of a workshop (see intervention 1), immediately followed with the introduction of safety needles' (BD Eclipse TM).

Contacts

Public

Academic Medical Center (AMC), Coronal Institute for occupational and Environmental Health,
P.O. Box 22660
Monique Frings-Dresen
Meibergdreef 9
Amsterdam 1100 DD
The Netherlands
+31 (0)20 5665325 / +31 (0)20 5665385

Scientific

Academic Medical Center (AMC), Coronal Institute for occupational and Environmental Health,
P.O. Box 22660
Monique Frings-Dresen
Meibergdreef 9
Amsterdam 1100 DD
The Netherlands

Eligibility criteria

Inclusion criteria

Inclusion of healthcare workers using needles at wards of one academic hospital.

Exclusion criteria

Population not at risk for needlestick injuries

Study design

Design

Study type:	Interventional
Intervention model:	Parallel
Allocation:	Randomized controlled trial
Masking:	Open (masking not used)
Control:	Active

Recruitment

NL	
Recruitment status:	Recruitment stopped
Start date (anticipated):	01-12-2006
Enrollment:	796
Type:	Actual

Ethics review

Not applicable	
Application type:	Not applicable

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
NTR-new	NL1163
NTR-old	NTR1207
Other	AMC, UvA; Occupational Health Service : Arbo/M&A/05 57473
ISRCTN	ISRCTN wordt niet meer aangevraagd

Study results

Summary results

N/A