

# Improving Management of Patients with Acute Cough by CRP point of care testing and Communication Training.

No registrations found.

<b>Ethical review</b>	Positive opinion
<b>Status</b>	Recruiting
<b>Health condition type</b>	-
<b>Study type</b>	Interventional

## Summary

### ID

NL-OMON29041

### Source

Nationaal Trial Register

### Brief title

IMPAC3T

### Intervention

### Outcome measures

#### Primary outcome

1. Change (decrease) in antibiotic prescription;
2. Clinical recovery and return to normal work and activities.

#### Secondary outcome

1. Cost-effectiveness of PoC CRP and communication training;
2. Use of medical services, including re-consultation;
3. Change (decrease) in diagnostic testing other than PoC CRP.

# Study description

## Background summary

Male and Female > 18 years old.

To what extent will the introduction of the C-Reactive Protein (CRP) point of care test and enhanced communication skills for managing lower respiratory tract infection (LRTI) in general practice, either separately or combined, lead to an enhancement of patient recovery, a reduction in other diagnostic testing, use of other medical services and a reduction in antibiotic prescribing? To what extent are these reductions cost-effective?

Study design: factorial design with randomisation on practice level. Control group follows pathways of usual care.

## Study objective

To what extent will the introduction of the C-Reactive Protein (CRP) point of care test and enhanced communication skills for managing lower respiratory tract infection (LRTI) in general practice, either separately or combined, lead to

1. an enhancement of patient recovery,
2. a reduction in other diagnostic testing
3. and a reduction in antibiotic prescribing?
4. To what extent are these reductions cost-effective?

## Intervention

Randomisation at the level of practice. Factorial randomisation into four groups:

1. Access to and training in PoC CRP plus communication training.
2. Access to and training in PoC CRP alone.
3. Communication training alone.
4. Usual care.

Point of Care CRP: Access to and training in use of automatic CRP test device.

Sample is one drop of whole blood from a finger prick.

Communication training: Shared decision making using SPICE method (Simulated Patient in Clinical Encounter).

## Contacts

### **Public**

University Maastricht (UM),  
P.O. Box 616  
Jochen Cals  
Maastricht 6200 MD  
The Netherlands  
+31 (0)43 3882441

### **Scientific**

University Maastricht (UM),  
P.O. Box 616  
Jochen Cals  
Maastricht 6200 MD  
The Netherlands  
+31 (0)43 3882441

## Eligibility criteria

### **Inclusion criteria**

First consultation of current episode of acute cough (duration <4 weeks).

Regarded by the GP to be caused by an acute lower respiratory tract infection

- At least one out of following 4: Shortness of breath / wheezing / chest pain / auscultation abnormalities

- At least one of the following 5:

Fever / perspiring / headache / myalgia / feeling generally unwell.

### **Exclusion criteria**

1. Patients who require immediate admission to hospital;
2. Patients who have no understanding of written and/or Dutch language;
3. Patients who previously participated in the study;
4. Patients who currently use antibiotic or have taken an antibiotic in the past 2 weeks;
5. Patients who have been hospitalized in the past 6 weeks.

## Study design

## Design

Study type:	Interventional
Intervention model:	Factorial
Masking:	Open (masking not used)
Control:	Active

## Recruitment

NL	
Recruitment status:	Recruiting
Start date (anticipated):	01-11-2005
Enrollment:	400
Type:	Anticipated

## Ethics review

Positive opinion	
Date:	12-05-2005
Application type:	First submission

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

### Other (possibly less up-to-date) registrations in this register

No registrations found.

## In other registers

Register	ID
NTR-new	NL31
NTR-old	NTR51

**Register**

Other  
ISRCTN

**ID**

: N/A  
ISRCTN85154857

## Study results

**Summary results**

N/A