

Illness related attributions and cognitions in women with chronic pelvic pain.

Published: 12-09-2006

Last updated: 20-05-2024

Aim: By conducting a retrospective evaluative follow up study we attempt to answer the following question: Is(full) recovery of pelvic pain in women associated with illness related attributions and cognitions about their condition?

Ethical review	Approved WMO
Status	Pending
Health condition type	Reproductive tract disorders NEC
Study type	Observational non invasive

Summary

ID

NL-OMON30089

Source

ToetsingOnline

Brief title

attributions and cognitions in pelvic pain

Condition

- Reproductive tract disorders NEC

Synonym

chronic pelvic pain

Research involving

Human

Sponsors and support

Primary sponsor: Leids Universitair Medisch Centrum

Source(s) of monetary or material Support: Ministerie van OC&W

Intervention

Keyword: attribution, chronic pelvic pain, cognition, women

Outcome measures

Primary outcome

Association between improvement or recovery from pelvic pain (at follow up: number of months with pain), adjustment and illness related attributions and cognitions (PCCL: pain coping and cognition questionnaire, IAS: Illness attitude Scales, SAS: Somatosensory Amplification Scale, RQ: reassurance Questionnaire)

Secondary outcome

nvt

Study description

Background summary

Background:
Chronic pelvic pain is a prevalent condition causing distress and disability. Little is known about the natural course of this condition and associated factors. Research on other chronic (pain) conditions reveals that prognosis of these conditions is related to illness related attributions and cognitions

Study objective

Aim: By conducting a retrospective evaluative follow up study we attempt to answer the following question: Is(full) recovery of pelvic pain in women associated with illness related attributions and cognitions about their condition?

Study design

Method

All women with chronic pelvic pain who visited the CPP team between 2002 and 2005 and completed baseline assessment and who are native speakers of the Dutch

language will be invited to participate in the follow up study. Questionnaires will be sent to their home address. The woman has to send the completed questionnaires back.

Study burden and risks

No risks

Contacts

Public

Leids Universitair Medisch Centrum

PO Box 9600
2300 RC Leiden
Nederland

Scientific

Leids Universitair Medisch Centrum

PO Box 9600
2300 RC Leiden
Nederland

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age

Adults (18-64 years)

Elderly (65 years and older)

Inclusion criteria

women who visited the chronic pelvic pain team (LUMC) between 2002 and 2005 or participated in an earlier research project on somatic and psychological factors in women

with CPP (P00.130)
completed baseline assessment at first visit
can speak, write and understand the Dutch language

Exclusion criteria

During follow up time acquired malignancy, serious comorbidity or cognitive impairment

Study design

Design

Study type: Observational non invasive

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Diagnostic

Recruitment

NL

Recruitment status: Pending

Start date (anticipated): 01-01-2007

Enrollment: 125

Type: Anticipated

Ethics review

Approved WMO

Application type: First submission

Review commission: METC Leiden-Den Haag-Delft (Leiden)

metc-ldd@lumc.nl

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
CCMO	NL13519.058.06