Measurement of cytokines in cantharidin bisters

Published: 29-08-2008 Last updated: 10-05-2024

The primary goal of this study is to te verify that it is possible to measure te concentrations of cytokines IL- 1α , IL-1RA en IL-8 in the fluid of a blister that is applied tot the skin of healthy volunteers. using cantharidin. In the future we wish...

Ethical reviewApproved WMOStatusRecruitment stoppedHealth condition typeDiabetic complicationsStudy typeObservational non invasive

Summary

ID

NL-OMON31695

Source

ToetsingOnline

Brief title

Measurement of cytokines in cantharidin bisters

Condition

Diabetic complications

Synonym

diabetic neuropathic ulcers / diabetic foot sores; Charcot osteoarthropathy / Charcot foot

Research involving

Human

Sponsors and support

Primary sponsor: Academisch Ziekenhuis Maastricht

Source(s) of monetary or material Support: Ministerie van OC&W

Intervention

Keyword: Blisters, Cantharidin, Cytokines

Outcome measures

Primary outcome

The primary goal of the study are the concentrations of cytokines IL-1 α , IL-1RA

en IL-8 as measured in the blister fluid.

Secondary outcome

NVT

Study description

Background summary

- 1. Foot ulcers are a feared complication of diabetes mellitus and occur mainly in polyneuropathy patients. We assume that in polyneuropathy patients the inflammatory response to exogenic stimuli is decreased which predisposes to the development of ulcers and infections.
- 2. Charcot osteoarthropathy is a rare but very invalidating complication of (diabetic) polyneuropathy, often resulting in a deformed foot. We assume that an excessive inflammatory response, in which pro-inflammatory cytokines play a role, to exogenic stimuli is the underlying mechanism in the development of a acute Charcot foot.

Study objective

The primary goal of this study is to te verify that it is possible to measure te concentrations of cytokines IL-1 α , IL-1RA en IL-8 in the fluid of a blister that is applied tot the skin of healthy volunteers. using cantharidin. In the future we wish to use this knowledge for developing a method for:

- 1. testing the hypothesis that in polyneuropathy patients the inflammatory response to exogenic stimuli is decreased.
- 2. testing the hypothesis that the acute Charcot foot develops as a result of a excessive inflammatory response.

Study design

Pilotstudie (n=6). 25 µl of 0.1% cantharidin solution is applied to the skin of

2 - Measurement of cytokines in cantharidin bisters 4-05-2025

the upper arm of healthy volunteers. Afterwards a blister will arise. At t=24h the bister will be perforated and the blister fluid will be collected using a pipet. The blister fluid will be kept at a temperature of -80°C and more later concentrations of cytikines IL-1 α , IL-1RA and IL-8 will be performed using ELISA.

Study burden and risks

We don't expect any risks for the volunteers. Cantharidin is prescriped more than 1 million times without severe side effects.

Contacts

Public

Academisch Ziekenhuis Maastricht

P. Debyelaan 5800 6202 AZ Maastricht Nederland

Scientific

Academisch Ziekenhuis Maastricht

P. Debyelaan 5800 6202 AZ Maastricht Nederland

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age

Adults (18-64 years) Elderly (65 years and older)

Inclusion criteria

Age: 18-27

Body mass index within the range of 18-30 kg/m^2

Exclusion criteria

History of lymphangitis

Skin conditions like psoriasis or eczema

Diabetes mellitus

Cancer

Muscle disorders

Upper extremity fractures

Alcohol or drug abuse

Gravidity

Change of weight of more than 4 kg within the last 4 weeks

Study design

Design

Study type: Observational non invasive

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Basic science

Recruitment

NL

Recruitment status: Recruitment stopped

Start date (anticipated): 01-03-2008

Enrollment: 6

Type: Anticipated

Ethics review

Approved WMO

Date: 29-08-2008

Application type: First submission

Review commission: METC academisch ziekenhuis Maastricht/Universiteit

Maastricht, METC azM/UM (Maastricht)

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

CCMO NL21209.068.07