

Development en validation of the 'Yale-Brown Obsessive Compulsive Scale for Body Dysmorphic Disorder Self Rating version' (Y-BOCS BDD-SR)

Published: 17-07-2008

Last updated: 07-05-2024

This study will determine whether the *Yale-Brown Obsessive-Compulsive Scale modified for Body Dysmorphic Disorder (Y-BOCS-BDD) interview* can be replaced by a questionnaire (self-rating (SR)).

Ethical review	Approved WMO
Status	Pending
Health condition type	Somatic symptom and related disorders
Study type	Observational non invasive

Summary

ID

NL-OMON32136

Source

ToetsingOnline

Brief title

Development en validation of the Y-BOCS BDD-SR

Condition

- Somatic symptom and related disorders

Synonym

body dysmorphic disorder

Research involving

Human

Sponsors and support

Primary sponsor: Leids Universitair Medisch Centrum

Source(s) of monetary or material Support: Ministerie van OC&W

Intervention

Keyword: body dysmorphic disorder, questionnaire versus interview, Y-BOCS-BDD

Outcome measures

Primary outcome

The results of the interview and questionnaire will be compared.

Secondary outcome

Not applicable.

Study description

Background summary

The standardised interview Y-BOCS-BDD is an internationally used instrument to determine the severity of Body Dysmorphic Disorder (Phillips, 1997). The YBOCS modified for BDD (Phillips, 1997 52 /id) has become the gold standard for assessing outcome of treatment in randomised controlled trials (Veale, 2003). Validity and reliability of the American version is good (Phillips 1997).

In the Netherlands we use a translation of the original standardised interview (Van Rood, Bouman, 2001). Recent analysis of the dutch version (Van Rood en Bouman (2007)) show equally good qualities.

The De Y-BOCS-BDD questionnaire is based on the original American interview. The version is reviewed by Veale and Phillips and their comments have been used to improve the questionnaire.

Study objective

This study will determine whether the *Yale-Brown Obsessive-Compulsive Scale modified for Body Dysmorphic Disorder (Y-BOCS-BDD) interview* can be replaced by a questionnaire (self-rating (SR)).

Study design

Observational research using a questionnaire and interview

Study burden and risks

The burden associated with participation is restricted the time needed to fill in the questionnaire and being interviewed. The total burden for the patient will be 50 to 150 minutes during a 12 month period. There will be no financial compensation for the time invested. There are no risks associated with participation.

There are no direct benefits for participants, but in the future the new questionnaire could mean a lesser burden for new participants of ROM because the questionnaire takes far less time.

Contacts

Public

Leids Universitair Medisch Centrum

Albinusdreef
2300 RC Leiden
Nederland

Scientific

Leids Universitair Medisch Centrum

Albinusdreef
2300 RC Leiden
Nederland

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age

Adults (18-64 years)

Elderly (65 years and older)

Inclusion criteria

BDD Diagnosis and/ or answering "yes" at first question of BDD-screener

Exclusion criteria

Not enough understanding of Dutch to fill in the questionnaires.

Study design

Design

Study type: Observational non invasive

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Diagnostic

Recruitment

NL

Recruitment status: Pending

Start date (anticipated): 01-04-2008

Enrollment: 100

Type: Anticipated

Ethics review

Approved WMO

Application type: First submission

Review commission: METC Leids Universitair Medisch Centrum (Leiden)

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
CCMO	NL21935.058.08