

In vitro basophyl stimulation as diagnostic test for drug induced allergy

Published: 15-01-2008

Last updated: 11-05-2024

nvt

Ethical review	Approved WMO
Status	Recruiting
Health condition type	Allergic conditions
Study type	Observational non invasive

Summary

ID

NL-OMON32155

Source

ToetsingOnline

Brief title

BST/DIA

Condition

- Allergic conditions

Synonym

allergy, hypersensitivity

Research involving

Human

Sponsors and support

Primary sponsor: Deventer Ziekenhuis

Source(s) of monetary or material Support: Onderzoeksmiddelen klinisch chemisch laboratorium

Intervention

Keyword: Allergy, Basophyl Stimulation Test, Blood, Drug

Outcome measures

Primary outcome

nvt

Secondary outcome

nvt

Study description

Background summary

nvt

Study objective

nvt

Study design

nvt

Study burden and risks

nvt

Contacts

Public

Deventer Ziekenhuis

Fesevurstraat 7
7415 CM Deventer
Nederland

Scientific

Deventer Ziekenhuis

Fesevurstraat 7
7415 CM Deventer

Nederland

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age

Adults (18-64 years)

Elderly (65 years and older)

Inclusion criteria

positive anamnesis for drug induced allergy

Exclusion criteria

Use of corticosteroids within 2 weeks before venapuncture

Use of antihistaminica or antileucotriens within 48 hours before venapuncture

Study design

Design

Study type: Observational non invasive

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Diagnostic

Recruitment

NL

Recruitment status: Recruiting

Start date (anticipated): 15-09-2008
Enrollment: 60
Type: Actual

Ethics review

Approved WMO
Date: 15-01-2008
Application type: First submission
Review commission: METC Isala Klinieken (Zwolle)

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
CCMO	NL20231.075.07