Perceived rejection as an explanation for aggressive behaviour of forensic psychiatric patients

Published: 16-03-2009 Last updated: 06-05-2024

The main objective of this study is to test 1) whether rejection in (forensic) psychiatric patients is related to aggression and/or withdrawn behaviour, and 2) Whether anxiety mediates the relation between rejection and withdrawn and aggressive...

Ethical review Approved WMO **Status** Recruiting

Health condition type Personality disorders and disturbances in behaviour

Study type Observational non invasive

Summary

ID

NL-OMON33737

Source

ToetsingOnline

Brief title

perceived rejection and aggression

Condition

Personality disorders and disturbances in behaviour

Synonym

aggressive bahaviour, externalizing behaviour

Research involving

Human

Sponsors and support

Primary sponsor: GGZ Westelijk Noord-Brabant (Halsteren)

Source(s) of monetary or material Support: geestelijke Gezondheidszorg Westelijk

Noord-Brabant

1 - Perceived rejection as an explanation for aggressive behaviour of forensic psych ... 25-05-2025

Intervention

Keyword: perceived rejection and aggression

Outcome measures

Primary outcome

Relation between rejection and both aggressive and withdrawn behaviour. The possible mediating role of paranoid anxiety in the relation between rejection and aggression, and the possible mediating role of social anxiety in the relation between rejection and withdrawn behaviour.

Secondary outcome

The relation between rejection sensitivity and withdrawn/aggressive behaviour.

The possible mediating role of personalitystructures (borderline, psychotic, and/or neurotic) in the relation between rejection and aggressive/withdrawn behaviour.

Study description

Background summary

Perceived rejection has been shown to be related to withdrawn and aggressive behaviour. However, it is not yet clear wether rejection causes aggression, or whether aggression causes rejection. The present study will focus on the path from rejection to aggression. We will test how rejection may eventually result in aggression (by studying forensic psychiatric patients and prisoners) as opposed to withdrawn behaviour (by studying general psychiatric patients and healthy controls). A possible mediator in the relation between rejection and aggressive behaviour is paranoid anxiety. A possible mediator between rejection and withdrawn behaviour is social anxiety.

Study objective

The main objective of this study is to test 1) whether rejection in (forensic) psychiatric patients is related to aggression and/or withdrawn behaviour, and

2 - Perceived rejection as an explanation for aggressive behaviour of forensic psych ... 25-05-2025

2) Whether anxiety mediates the relation between rejection and withdrawn and aggressive behaviour.

Study design

The study has a cross-sectional design. Participants will fill in questionnaires.

Study burden and risks

Subjects have no immediate benefit by participating in this study other than the monetary reward (15 euro). There are no risks involved in this study. The only disadvantage is the time it takes to fill in the questionnaires.

Contacts

Public

GGZ Westelijk Noord-Brabant (Halsteren)

Hoofdlaan 8 4664 AA HAlsteren Nederland

Scientific

GGZ Westelijk Noord-Brabant (Halsteren)

Hoofdlaan 8 4664 AA HAlsteren Nederland

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age

Adults (18-64 years) Elderly (65 years and older)

3 - Perceived rejection as an explanation for aggressive behaviour of forensic psych ... 25-05-2025

Inclusion criteria

male

age between 18 and 61 years

Exclusion criteria

psychotic symptoms insufficient comprehension of Dutch language

Study design

Design

Study type: Observational non invasive

Intervention model: Other

Allocation: Non-randomized controlled trial

Masking: Open (masking not used)

Control: Active

Primary purpose: Basic science

Recruitment

NL

Recruitment status: Recruiting
Start date (anticipated): 14-04-2009

Enrollment: 200
Type: Actual

Ethics review

Approved WMO

Date: 16-03-2009

Application type: First submission

Review commission: METC Erasmus MC, Universitair Medisch Centrum Rotterdam

(Rotterdam)

^{4 -} Perceived rejection as an explanation for aggressive behaviour of forensic psych ... 25-05-2025

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

CCMO NL26060.078.08