# A single arm open label multicentre extension study of bevacizumab in patients with solid tumours on study treatment with bevacizumab at the end of a F. Hoffmann-La Roche and/or Genentech sponsored study.

Published: 21-05-2012 Last updated: 28-04-2024

To provide continued bevacizumab therapy as single agent or in combination with an anticancer drug to patients with cancer, who were previously enrolled in a F. Hoffmann-La Roche (Roche)/ Genentech sponsored bevacizumab study (i.e. the Parent, P-...

**Ethical review** Approved WMO

**Status** Recruitment stopped

**Health condition type** Miscellaneous and site unspecified neoplasms benign

**Study type** Interventional

## **Summary**

### ID

NL-OMON37844

#### **Source**

**ToetsingOnline** 

#### **Brief title**

Extension study of Avastin in patients on study treatment with bevacizumab.

## **Condition**

Miscellaneous and site unspecified neoplasms benign

#### **Synonym**

cancer, Solid tumor

#### Research involving

Human

## **Sponsors and support**

**Primary sponsor:** Roche Nederland B.V.

Source(s) of monetary or material Support: Roche Nederland B.V.

#### Intervention

**Keyword:** Bevacizumab, Solid tumours

#### **Outcome measures**

## **Primary outcome**

To provide continued bevacizumab therapy as single agent or in combination with an anti-cancer drug to patients with cancer who were previously enrolled in a Roche/Genentech - sponsored bevacizumab P-trial and who derived benefit from the therapy administered in the P-trial To collect safety data with regard to long-term administration of bevacizumab.

## **Secondary outcome**

To link data with the appropriate P-trial database to analyse scientific questions of interest. Details will be described in the statistical analysis plan (SAP).

# **Study description**

#### **Background summary**

Bevacizumab is usually given until progression of the underlying cancer unless patients withdraw consent or experiences toxicities that lead to discontinuation. The time to progression is very variable from patient to patient.

Trials need to have a defined end. This is often event driven for comparative trials looking into PFS or OS. Single-arm trials often end after a prespecified

time after last patient first visit. At their completion or closure some patients might still be on treatment with bevacizumab and benefit from the continuation of the therapy with bevacizumab as their cancer has not progressed. Roche/Genentech had committed to provide treatment for above mentioned patients in the P-trial. This was also to ensure that all patients have the chance to receive similar treatment enrolled in the same trial (i.e. the first patient enrolled in a trial can benefit during enrolment and follow-up phase of a trial, where as the last patient enrolled in a trial can benefit during follow-up phase and in this E-trial).

All eligible patients from qualifying bevacizumab P-trials can be enrolled in this E-trial, ensuring those patients have access to bevacizumab and their safety is monitored adequately.

## Study objective

To provide continued bevacizumab therapy as single agent or in combination with an anti-cancer drug to patients with cancer, who were previously enrolled in a F. Hoffmann-La Roche (Roche)/ Genentech sponsored bevacizumab study (i.e. the Parent, P-trial) and who derived benefit from the therapy administered in the P-trial. To collect safety data with regard to long-term administration of bevacizumab.

## Study design

Multicenter, open-label, single-arm phase IV trial. Patients on bevacizumab at P-trial end will be enrolled immediately thereafter. Patients will receive treatment with bevacizumab as during their P-trial until progression of disease, unacceptable toxicity, withdrawal of consent or death (whichever occurs first).

#### Intervention

Not applicable

## Study burden and risks

The MO25757 E-trial is designed to ensure an optimal risk/benefit ratio. (See protocol section 1.3)

## **Contacts**

#### **Public**

3 - A single arm open label multicentre extension study of bevacizumab in patients w ... 13-05-2025

Roche Nederland B.V.

Beneluxlaan 2a 3446 GR Woerden NL

Scientific

Roche Nederland B.V.

Beneluxlaan 2a 3446 GR Woerden NL

## **Trial sites**

## **Listed location countries**

**Netherlands** 

# **Eligibility criteria**

#### Age

Adults (18-64 years) Elderly (65 years and older)

## Inclusion criteria

1. Written informed consent prior to any study-specific procedure.;2. Patient is treated with bevacizumab at the end of the Roche/Genentech sponsored P-trial and continues to have benefit as judged by the investigator;3. Eligible for continuation of bevacizumab treatment at the end of the Parent-trial, according to Parent-trial protocol;4. Able to comply with the Extension-trial protocol MO25757;5. Female patients should not be pregnant or breastfeeding.;6. Female patients of childbearing potential/fertile male patients must use a highly effective contraceptive method during the Extension-trial and for a period of at least 6 months following the last administration of Extension-trial drug(s).

## **Exclusion criteria**

- 1. Evidence of disease progression assessed according to Parent-trial protocol during the screening phase for this Extension-trial; 2. Evidence of any adverse event potentially attributable to bevacizumab, for which the local label recommends permanent discontinuation.; 3. A treatment interruption with bevacizumab of more than 42 days since
  - 4 A single arm open label multicentre extension study of bevacizumab in patients w ... 13-05-2025

the last administration of bevacizumab in the Parent-trial.;4. Evidence of any other disease, neurological or metabolic dysfunction, physical examination finding or laboratory finding giving reasonable suspicion of a disease or condition that contraindicates the use of the investigational drug(s) or puts the patient at high risk for treatment-related complications.

# Study design

## **Design**

Study phase: 4

Study type: Interventional

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Treatment

## Recruitment

NL

Recruitment status: Recruitment stopped

Start date (anticipated): 02-10-2012

Enrollment: 5

Type: Actual

## Medical products/devices used

Product type: Medicine

Brand name: Alimta

Generic name: Pemetrexed

Registration: Yes - NL intended use

Product type: Medicine

Brand name: Avastin

Generic name: Bevacizumab

Registration: Yes - NL outside intended use

Product type: Medicine

Brand name: Roferon-A

Generic name: Interferon alfa-2a

Registration: Yes - NL intended use

## **Ethics review**

Approved WMO

Date: 21-05-2012

Application type: First submission

Review commission: CMO regio Arnhem-Nijmegen (Nijmegen)

Approved WMO

Date: 31-07-2012

Application type: First submission

Review commission: CMO regio Arnhem-Nijmegen (Nijmegen)

Approved WMO

Date: 17-09-2012

Application type: Amendment

Review commission: CMO regio Arnhem-Nijmegen (Nijmegen)

Approved WMO

Date: 15-02-2013

Application type: Amendment

Review commission: CMO regio Arnhem-Nijmegen (Nijmegen)

Approved WMO

Date: 10-06-2013

Application type: Amendment

Review commission: CMO regio Arnhem-Nijmegen (Nijmegen)

Approved WMO

Date: 21-01-2014

Application type: Amendment

Review commission: CMO regio Arnhem-Nijmegen (Nijmegen)

Approved WMO

Date: 24-01-2014

Application type: Amendment

Review commission: CMO regio Arnhem-Nijmegen (Nijmegen)

# **Study registrations**

## Followed up by the following (possibly more current) registration

No registrations found.

## Other (possibly less up-to-date) registrations in this register

No registrations found.

## In other registers

Register ID

EudraCT EUCTR2011-002009-31-NL

CCMO NL40453.091.12