Mean systemic pressure as predictor of successful fluid responsiveness in sepsis

Published: 05-08-2013 Last updated: 24-04-2024

Predicting fluid responsiveness during PLR and fluid challenge (FC) by changes in (Pms).

Ethical review	Approved WMO
Status	Pending
Health condition type	Other condition
Study type	Observational invasive

Summary

ID

NL-OMON39961

Source ToetsingOnline

Brief title

Mean systemic pressure fluid responsiveness patients septic shock.

Condition

- Other condition
- Ancillary infectious topics

Synonym Hemodynamics

Health condition

Hemodynamica, septische shock

Research involving Human

Sponsors and support

Primary sponsor: Catharina-ziekenhuis Source(s) of monetary or material Support: Catharina Ziekenhuis

1 - Mean systemic pressure as predictor of successful fluid responsiveness in sepsis 6-05-2025

Intervention

Keyword: Mean systemic filling pressure

Outcome measures

Primary outcome

PLR, followed by FC of 500mL Ringers Lactate.

Secondary outcome

Not applicable

Study description

Background summary

The assessment of the cardiovascular state in critically ill patients is subject to difficulties in terms of the fact that several hemodynamic parameters, for example mean arterial blood pressure (MAP) and cardiac output (CO) supply insufficient information about the circulating volume and cardiac performance. There is a clinical need to adequate determination of intravascular volume status and therefore reliable predictors of fluid responsiveness are highly relevant. However, in determining the fluid status of a patient, the lack of appreciation of the venous side of the circulation persists today, which is greatly due to the inability to appropriately assess the venous side of the circulation. The importance of the venous part of the circulation is moreover reflected by the fact that an increase in venous resistance does reduce CO many times more than a similar increase in arterial resistance. Mean systemic filling pressure (Pms), which is defined as the pressure equal to the pressure which would be measured if the heart should suddenly stop pumping and all (arterial and venous) the pressures in the entire circulatory system should be brought to equilibrium instantaneously, is a good, complete and reliable reflection of the total intravascular fluid compartment. Passive leg raising (PLR) represents a *self-volume challenge* that predicts preload responsiveness and the transient hemodynamic changes on venous return can be directly monitored in ventilated patients, provided that there is an intact circulation, in order to test the amount of volume responsiveness.

Study objective

Predicting fluid responsiveness during PLR and fluid challenge (FC) by changes

in (Pms).

Study design

Prospective, observational study

Study burden and risks

Additional bleeding risk due to puncture of femoral artery instead of radial artery.

Contacts

Public Catharina-ziekenhuis

Michelangelolaan 2 Eindhoven 5623 EJ NL **Scientific** Catharina-ziekenhuis

Michelangelolaan 2 Eindhoven 5623 EJ NL

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age

Adults (18-64 years) Elderly (65 years and older)

Inclusion criteria

Septic shock, low cardiac output due to low volume state

Exclusion criteria

Assist devices, arrhythmia

Study design

Design

Study type: Observational invasive	
Masking:	Open (masking not used)
Control:	Uncontrolled
Primary purpose:	Diagnostic

Recruitment

NL	
Recruitment status:	Pending
Start date (anticipated):	01-05-2013
Enrollment:	20
Туре:	Anticipated

Ethics review

Approved WMO	
Date:	05-08-2013
Application type:	First submission
Review commission:	MEC-U: Medical Research Ethics Committees United (Nieuwegein)

Study registrations

4 - Mean systemic pressure as predictor of successful fluid responsiveness in sepsis 6-05-2025

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register CCMO **ID** NL42281.060.12