# Efficacy of a guided self-help exercise program targeting speech, swallowing and shoulder problems in laryngectomized patients: a randomized controlled trial

Published: 21-01-2015 Last updated: 21-04-2024

To investigate the efficacy of the guided self-help exercise program of \*in Tune without Cords\* among laryngectomized patients.

**Ethical review** Approved WMO **Status** Recruitment stopped

Health condition type Respiratory and mediastinal neoplasms malignant and unspecified

Study type Interventional

## **Summary**

#### ID

NL-OMON43884

#### Source

ToetsingOnline

#### **Brief title**

Efficacy of a guided self-help exercise program in laryngectomized patients

#### **Condition**

Respiratory and mediastinal neoplasms malignant and unspecified

#### **Synonym**

head and neck cancer, laryngeal cancer

#### **Research involving**

Human

**Sponsors and support** 

**Primary sponsor:** KNO/hoofd-halschirurgie

Source(s) of monetary or material Support: Michel Keijzer Fonds

Intervention

**Keyword:** Exercises, Head and neck cancer, Laryngectomy, Selfmanagement and eHealth

**Outcome measures** 

**Primary outcome** 

Primary outcome measures are differences in swallowing quality (swallowing

quality of life questionnaire), speech problems (speech handicap index) and

shoulder disability (shoulder disability questionnaire) between the

intervention and control group at follow-up measurements.

**Secondary outcome** 

Secondary outcome measures are generic and head and neck cancer specific

quality of life (EORTC quality of life core module and head and neck cancer

module), the incremental cost effectiveness ratio (calculated using different

cost questionnaires and the EuroQol-5 dimensions) and self-management (patients

activation measure).

**Study description** 

**Background summary** 

Treatment of patients diagnosed with laryngeal cancer with total laryngectomy with or without (chemo)radiation often induces speech, swallowing and shoulder complaints. Speech, swallowing and shoulder exercises may prevent or diminish

these complaints.

Study objective

2 - Efficacy of a guided self-help exercise program targeting speech, swallowing and ... 2-06-2025

To investigate the efficacy of the guided self-help exercise program of \*in Tune without Cords\* among laryngectomized patients.

#### Study design

A prospective randomized controlled trial with two parallel groups (1:1) comparing a guided self-help exercise program targeting speech, swallowing and neck and shoulder problems to a control group with measures at baseline, after the intervention or control period, and three months after the intervention or control period.

#### Intervention

The intervention investigated in this study is a guided self-help exercise program provided by Internet or booklet plus DVD targeting speech, swallowing and shoulder problems. Patients are asked to exercise themselves at home using the Internet or booklet plus DVD containing written instructions, images and videos of prescribed exercises. Patients are asked to exercise three times a day (10-15 minutes a time) for 12 weeks.

#### Study burden and risks

Risks are negligible and burden is low. In case of positive results, participating patients will probably benefit immediately from the guided self-help exercise program.

## **Contacts**

#### **Public**

Selecteer

de Boelelaan 1117 de Boelelaan 1117 Amsterdam 1081 HV NL

#### **Scientific**

Selecteer

de Boelelaan 1117 de Boelelaan 1117 Amsterdam 1081 HV NL

## **Trial sites**

#### **Listed location countries**

**Netherlands** 

# **Eligibility criteria**

#### Age

Adults (18-64 years) Elderly (65 years and older)

#### Inclusion criteria

Patients treated with total laryngectomy in the last 5 years

#### **Exclusion criteria**

Patients treated with total laryngectomy combined with a total glossectomy, patients treated with a partial laryngectomy, patients younger than 18 years, patients with cognitive impairments or who do not understand the Dutch language.

## Study design

### **Design**

Study type: Interventional

Intervention model: Parallel

Allocation: Randomized controlled trial

Masking: Open (masking not used)

Control: Active

Primary purpose: Treatment

#### Recruitment

NL

Recruitment status: Recruitment stopped

Start date (anticipated): 21-06-2015

Enrollment: 100

Type: Actual

## **Ethics review**

Approved WMO

Date: 21-01-2015

Application type: First submission

Review commission: METC Amsterdam UMC

Approved WMO

Date: 17-06-2015

Application type: Amendment

Review commission: METC Amsterdam UMC

Approved WMO

Date: 17-07-2015

Application type: Amendment

Review commission: METC Amsterdam UMC

Approved WMO

Date: 19-10-2015

Application type: Amendment

Review commission: METC Amsterdam UMC

Approved WMO

Date: 10-05-2016

Application type: Amendment

Review commission: METC Amsterdam UMC

# **Study registrations**

## Followed up by the following (possibly more current) registration

No registrations found.

# Other (possibly less up-to-date) registrations in this register

No registrations found.

# In other registers

Register ID

CCMO NL51261.029.14