

Study protocol for a randomised clinical trial comparing TREPP versus Lichtenstein*s technique in Inguinal hernia patients

Published: 17-12-2018

Last updated: 11-04-2024

To asses the hypothesis that chronic postoperative inguinal pain occurs less in patients treated with the TREPP technique

Ethical review	Not approved
Status	Will not start
Health condition type	Skin and subcutaneous tissue therapeutic procedures
Study type	Interventional

Summary

ID

NL-OMON45767

Source

ToetsingOnline

Brief title

TREPPoLi Trial

Condition

- Skin and subcutaneous tissue therapeutic procedures

Synonym

Inguinal hernia

Research involving

Human

Sponsors and support

Primary sponsor: Medisch Centrum Leeuwarden

Source(s) of monetary or material Support: Adriaan Metiusstichting

Intervention

Keyword: Hernia, Inguinal, Lichtenstein, TREPP

Outcome measures

Primary outcome

Chronic postoperative inguinal pain

Secondary outcome

Secondary outcomes are complications, recurrences, sexual complaints, bleeding, time of return to daily activities and operating time.

Study description

Background summary

The main postoperative complication of inguinal hernia surgery has become chronic postoperative inguinal pain (CPIP), especially present after the Lichtenstein procedure, which is to this day the preferred open technique in the Netherlands and worldwide. New techniques aimed at lowering the percentage of patients who develop CPIP are showing promising first results. One of the conditions of a new technique is that it has to be easy to learn and teach. A new procedure that most likely meets these criteria is the TREPP (transrectus sheath preperitoneal) mesh repair. This sizeable randomized trial compares the TREPP technique to the Lichtenstein's procedure. The TREPPoLi trial aims to contribute to the question: *what*s best for patients with a clinically evident, unilateral inguinal hernia, TREPP or Lichtenstein?*

Study objective

To asses the hypothesis that chronic postoperative inguinal pain occurs less in patients treated with the TREPP technique

Study design

TREPPoLi is a multicenter randomised clinical trial (ISRCTN14511362) comparing TREPP versus Lichtenstein from the patients* perspective next to societal- and hospital perspective. All consecutive patients with a primary unilateral inguinal hernia, eligible for operation, will be invited to participate in the trial. Patients will be randomly allocated to the TREPP mesh repair or to

Lichtenstein's procedure in one of the participating expertise centers, after written informed consent is obtained. The primary outcome measure will be presence of chronic postoperative inguinal pain (CPIP) of the TREPP and Lichtenstein patients, measured after 6 months. The total follow-up period is 1 year.

Intervention

TREPP or Lichtenstein

Study burden and risks

Two extra visits to the outpatient department as well as multiple questionnaires and physical examination.

Contacts

Public

Medisch Centrum Leeuwarden

Henri Dunantweg 2
Leeuwarden 8934 AD
NL

Scientific

Medisch Centrum Leeuwarden

Henri Dunantweg 2
Leeuwarden 8934 AD
NL

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age

Adults (18-64 years)

Elderly (65 years and older)

Inclusion criteria

Adults with a clinically apparent primary unilateral inguinal hernia

Age > 18 years

ASA classification 1-3

Signed informed consent

Exclusion criteria

Recurrent inguinal hernia

bilateral inguinal hernia

ASA class 4

Acute incarcerated inguinal hernia

psychiatric disease or other reasons making follow-up or questionnaires unreliable

previous preperitoneal surgery (e.g. radical prostatectomy)

Study design

Design

Study type:	Interventional
Intervention model:	Parallel
Allocation:	Randomized controlled trial
Masking:	Single blinded (masking used)
Control:	Active
Primary purpose:	Treatment

Recruitment

NL	
Recruitment status:	Will not start
Enrollment:	750
Type:	Anticipated

Ethics review

Not approved

Date: 17-12-2018

Application type: First submission

Review commission: RTPO, Regionale Toetsingscie Patientgebonden Onderzoek (Leeuwarden)

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
Other	14511362
CCMO	NL65672.099.18