

# Understanding of glycemic response using contextual data and modeling \* a pilot study

Published: 18-02-2019

Last updated: 15-05-2024

The primary goal is to obtain and investigate the added value of real-life high quality contextual data (e.g. food intake, physical activity, sleep, wellbeing) to understand and predict the fluctuations in individual glucose levels. The secondary...

<b>Ethical review</b>	Approved WMO
<b>Status</b>	Recruitment stopped
<b>Health condition type</b>	Other condition
<b>Study type</b>	Observational non invasive

## Summary

### ID

NL-OMON48507

### Source

ToetsingOnline

### Brief title

Glycemic response in real life settings

### Condition

- Other condition

### Synonym

health, wellbeing

### Health condition

algemeen welbevinden en gezondheid

### Research involving

Human

## Sponsors and support

**Primary sponsor:** TI Food and Nutrition

**Source(s) of monetary or material Support:** Albron, Friesland Campina, Noldus B.V., Philips Research, TKI Agri-Food, Wageningen Universiteit

## Intervention

**Keyword:** Glucose, Health, Leefstijl, Real-life data

## Outcome measures

### Primary outcome

The primary study parameters are:

- Daily food intake
- Daily glucose levels
- Wellbeing
- Activity patterns
- Sleep (patterns)

### Secondary outcome

The secondary outcomes are a lifestyle questionnaire at baseline, a satiety questionnaire after the OGTT, and a user experiences questionnaire at the end of the study (including self-constructed scales that measure user experience with the research in general and self-monitoring devices).

## Study description

### Background summary

Many people in the Western world have an unhealthy lifestyle, including an unhealthy dietary pattern. Elevated postprandial blood glucose levels, as well as high variability in glucose levels are associated with major risk for prediabetes, type II diabetes and cardiovascular diseases. The use of glycemic

index of food products for controlling glycemic responses has limited efficacy. Zeevi et al., have shown that the glycemic response on food is highly personal and not directly linked to the glycemic index of food products. Based on a cohort of 800 people using multiple measurements, a prediction model based on mainly the microbiome was made. Surprisingly, known factors influencing glycemic response like stress levels, quality of sleep and physical activity were not found. A problem with these big cohorts is the quality of data that is collected, the lack of contextual data and the laboratory setting in which the data is collected (which doesn't necessarily reflect real-life). The proposed research is part of a research program on Personalized Nutrition and Health (PNH). The ultimate goal of the program is to enhance the health and wellbeing of people by empowering consumers to choose and maintain an optimal personalized diet and lifestyle.

## **Study objective**

The primary goal is to obtain and investigate the added value of real-life high quality contextual data (e.g. food intake, physical activity, sleep, wellbeing) to understand and predict the fluctuations in individual glucose levels. The secondary objective is to define what metrics of glucose profiles can best be used to personalize lifestyle recommendations with respect to food intake and physical activity.

## **Study design**

During this observational pilot study 24 volunteers will use a continuous glucose monitor (CGM) to self-monitor their glucose levels. Additionally, their activity patterns, heart rate and sleep quality and quantity are monitored using a Philips ELAN wristband. Furthermore, the participant is asked to register their food intake and score their wellbeing using a smartphone app. The duration of the pilot study is approximately two weeks. Since the continuous glucose sensor requires a 12 hour initialization period, one day before the start of the pilot, the glucose sensor will be applied on the participants upper arm. During the first week of the pilot a baseline measurement is performed using an Oral Glucose Tolerance Test (OGTT). The participant is asked to fast 10 hours before performing the OGTT. Afterwards the participant is asked to fill in a satiety questionnaire regarding the OGTT in the HowAml app. Additionally, the participant is asked to start wearing the ELAN wristband and using the apps to register their food intake and answer questions regarding their wellbeing. During the remaining days of the pilot the participant can consume their normal diet, but are asked to ensure some repetition (e.g. consume the same breakfast, lunch and snacks for three days during the measuring period). To aid subjects in this we will provide them with some snacks. After 13 days of self-monitoring a debriefing will take place in which all the participants can ask questions about the study and their personal data observations. Furthermore, the participants will return the glucose sensor

and the smartwatch and answer questions about their experiences with participating in the study (via an online questionnaire).

### **Study burden and risks**

Disadvantages of participating in this study can be 1) There are some tasks to required, e.g. keeping track of food intake and answering the wellbeing questionnaires. 2) there is a small risk of skin irritation, rash or erythema due to the glucose sensor or ELAN sensor, if this happens the participant is asked to contact the study leader and replacement of the sensor will be considered or participation in the study will be ended if the sensor is removed. 3) A potential risk is concern amongst participants to learn about health issues they are not familiar with.

## **Contacts**

### **Public**

TI Food and Nutrition

Nieuwe Kanaal 9a  
Wageningen 6709 PA  
NL

### **Scientific**

TI Food and Nutrition

Nieuwe Kanaal 9a  
Wageningen 6709 PA  
NL

## **Trial sites**

### **Listed location countries**

Netherlands

## **Eligibility criteria**

### **Age**

Adults (18-64 years)

Elderly (65 years and older)

## Inclusion criteria

- \* Working in the field of nutrition or health
- \* Aged between 20 - 65
- \* Able and willing to sign the informed consent form
- \* Willing to comply with all study procedures

## Exclusion criteria

- \* Diagnosed with type 2 diabetes and/or people with a finger-prick glucose value  $\geq 7.8$  mmol/l during screening.
- \* BMI  $> 30$
- \* Under treatment for neurological or psychiatric complaints, including eating disorders
- \* Coeliac disease or gluten intolerance
- \* Skin allergy, eczema or known sensitivity for plasters
- \* Skin irritation or wounds at the wrist.
- \* Performs intensive sport activities more than 6 hours per week
- \* Pregnant or lactating women

## Study design

### Design

**Study type:** Observational non invasive

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Prevention

### Recruitment

NL

Recruitment status: Recruitment stopped

Start date (anticipated): 18-03-2019

Enrollment: 24

Type: Actual

## Ethics review

Approved WMO

Date: 18-02-2019

Application type: First submission

Review commission: METC Brabant (Tilburg)

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

### Other (possibly less up-to-date) registrations in this register

ID: 24370

Source: NTR

Title:

### In other registers

Register	ID
CCMO	NL68969.028.19
OMON	NL-OMON24370