Optimal inter stimulus interval in spinal mTc-MEP monitoring. A multicenter study.

Published: 11-10-2022 Last updated: 07-06-2025

The aim of this research proposal is to examine the effect of different ISIs on mTc-MEPs.Primary research question: What is the effect of different interstimulus intervals (ISIs) on mTc-MEP thresholds, peak-to-peak amplitudes, and area under the...

Ethical review Approved WMO **Status** Recruitment started

Health condition type Spinal cord and nerve root disorders

Study type Observational non invasive

Summary

ID

NL-OMON53760

Source

ToetsingOnline

Brief title

Optimal inter stimulus interval in mTc-MEP monitoring

Condition

- Spinal cord and nerve root disorders
- Nervous system, skull and spine therapeutic procedures

Synonym

For example scoliosis surgery. Surgeries with a risk of damage to the spinal cord

Research involving

Human

Sponsors and support

Primary sponsor: Universitair Medisch Centrum Groningen

Source(s) of monetary or material Support: Eerste geldstroom (geld van Ministerie van

1 - Optimal inter stimulus interval in spinal mTc-MEP monitoring. A multicenter stud ... 15-06-2025

OC&W aan universiteiten)

Intervention

No intervention

Keyword: ISI, Motor evoked potential, Stimulation parameters, Transcranial electrical stimulation

Explanation

N.a.

Outcome measures

Primary outcome

The main study parameters are mTc-MEP motor thresholds, amplitudes, and AUC of
/>

the tibialis anterior (TA) and abductor hallucis (AH) muscles, associated with
br /> different ISI stimulations (1, 2, 3 and 4 ms).

Secondary outcome

1. Variability will be based on peak-to-peak amplitudes

- 2. Optimal ISI for the 2 different stimulators will be determined based on the
or /> primary outcome variables.

- 3. Time and amplitudes will be used to answer this research question.

Study description

Background summary

Intraoperative neurophysiological monitoring (IONM) is used to detect and prevent neurological damage during surgeries with a high risk of neurological damage. Muscle transcranial electrical stimulation motor evoked potential (mTc-MEP) monitoring is an IONM modality that is commonly used during spinal surgery. Stimulation parameters, such as the interstimulus interval (ISI), influence the characteristics of mTc-MEPs. The aim of this research proposal is to examine the effect of different ISIs on mTc-MEPs. Optimal ISI is defined as the ISI that can generate MEPs with the lowest motor thresholds or the highest peak-to-peak amplitudes.

Study objective

2 - Optimal inter stimulus interval in spinal mTc-MEP monitoring. A multicenter stud ... 15-06-2025

The aim of this research proposal is to examine the effect of different ISIs on mTc-MEPs.

Primary research question:

What is the effect of different interstimulus intervals (ISIs) on mTc-MEP thresholds, peak-to-peak amplitudes, and area under the curve (AUC)?

Secondary research questions:

- 1. What is the influence of different ISIs on the variability of mTc-MEP amplitudes and thresholds?
- 2. Is the optimal ISI different for constant current (LMU hospital Munich) and constant voltage (UMCG) stimulators?
- 3. Does the optimal ISI shift over time?

Study design

Prospective observational study.

Study burden and risks

The total anesthesia time will be extended by maximal 20 minutes per patient.

Contacts

Scientific

Universitair Medisch Centrum Groningen M.C. Gadella Hanzeplein 1 Groningen 9713GZ Netherlands 0503612837

Public

Universitair Medisch Centrum Groningen M.C. Gadella Hanzeplein 1 Groningen 9713GZ Netherlands 0503612837

Trial sites

Trial sites in the Netherlands

Universitair Medisch Centrum Groningen Target size: 15

Listed location countries

Netherlands, Germany

Eligibility criteria

Age

Adolescents (12-15 years) Elderly (65 years and older) Adolescents (16-17 years) Adults (18-64 years)

Inclusion criteria

The patient will undergo a surgery with spinal mTc-MEP monitoring

Exclusion criteria

The patient had pre-existing muscle weakness in the AH or TA muscles

Study design

Design

Study phase: N/A

Study type: Observational non invasive

Intervention model: Parallel

Allocation: Non controlled trial

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Other

Recruitment

NL

Recruitment status: Recruitment started

Start date (anticipated): 11-12-2023

Enrollment: 15

Duration: 1 months (per patient)

Type: Actual

WORLD

Recruitment status: Recruitment started

Start date (anticipated): 02-01-2023

Enrollment: 30

Type: Actual

Medical products/devices used

Product type: N.a.

IPD sharing statement

Plan to share IPD: Undecided

Plan description

N.a.

Ethics review

Approved WMO

Date: 08-06-2023

Application type: First submission

Review commission: METC Universitair Medisch Centrum Groningen (Groningen)

Approved WMO

Date: 28-05-2025

Application type: Amendment

Review commission: METC UMCG

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

CCMO NL82612.042.22

Research portal NL-007140