# Blood immune analysis to predict severity and threshold of the allergic response in children

Published: 29-10-2024 Last updated: 22-12-2024

Primary: Evaluate whether quantification of functional IgE on basophils of food allergic patients can omit the need for food challenge tests to diagnose severity and threshold of the allergic reaction. Secondary: Evaluate whether numbers of...

Ethical review Approved WMO

**Status** Pending

Health condition type Allergic conditions
Study type Observational invasive

## **Summary**

#### ID

NL-OMON57078

#### Source

**ToetsingOnline** 

#### **Brief title**

Immune monitoring of food allergy in children

#### **Condition**

Allergic conditions

#### **Synonym**

food allergy

#### Research involving

Human

## **Sponsors and support**

**Primary sponsor:** Erasmus MC, Universitair Medisch Centrum Rotterdam **Source(s) of monetary or material Support:** Ministerie van OC&W

#### Intervention

**Keyword:** blood test, food allergy, pediatrics, sensitization

#### **Outcome measures**

#### **Primary outcome**

: The main study parameter is the detection of allergen-specific IgE, either soluble in plasma or on the cell surface of immune cells. Allergic sensitization will be defined as detection of IgE concentrations above the 95th percentile of that detected in unaffected controls.

#### **Secondary outcome**

NA

# **Study description**

#### **Background summary**

Food allergies are a major health concern with about 6-8% of children Western countries affected. Food allergies are associated with a risk of severe reactions (anaphylaxis) to common ingredients (peanut, cow\*s milk, egg and nuts), having a great impact on quality of life of children and their families. There is a lack of practicable precision diagnostics, and therefore children need to undergo an oral food challenge test, which has a risk of severe reactions.

#### Study objective

Primary: Evaluate whether quantification of functional IgE on basophils of food allergic patients can omit the need for food challenge tests to diagnose severity and threshold of the allergic reaction. Secondary: Evaluate whether numbers of immunophenotypes of allergen-specific B- and T-cells predict the severity and/or threshold of the allergic reaction.

#### Study design

This is an observations study into which children (2-18 yr) are recruited with a diagnosis of allergy. All recruits will be asked to donate 9-18mL of venous

2 - Blood immune analysis to predict severity and threshold of the allergic response ... 6-05-2025

blood for laboratory analysis. In addition, they will be asked to share basic demographics (age, sex); details of allergic responses and current medication use will be obtained from their medical records.

#### Study burden and risks

There is no perceived risk to the participants, investigators or institution. Participants are having an additional 9-18 mL of blood sample taken along with routine care. All blood sampling will follow Good Clinical Practice. This research will not provide a direct therapeutic benefit to the participant. However, we hope it will contribute by improving diagnosis, monitoring and treatment of allergies in the future. The project will aid in identifying potential biomarkers of allergy and treatment options. This project will have positive impacts in the field of Allergy by potentially improving patient diagnosis and treatment.

### **Contacts**

#### **Public**

Erasmus MC, Universitair Medisch Centrum Rotterdam

Dr. Molewaterplein 40 Rotterdam 3015 GD NI

#### **Scientific**

Erasmus MC, Universitair Medisch Centrum Rotterdam

Dr. Molewaterplein 40 Rotterdam 3015 GD NL

## **Trial sites**

#### **Listed location countries**

**Netherlands** 

## **Eligibility criteria**

#### Age

3 - Blood immune analysis to predict severity and threshold of the allergic response ... 6-05-2025

Adolescents (12-15 years) Adolescents (16-17 years) Children (2-11 years)

#### Inclusion criteria

- Aged 2-18 years
- Provided written informed consent

#### **Exclusion criteria**

- Under systemic immunosuppressive treatment
- History of hematological malignancy, immunodeficiency or autoimmune disease
- Active infection

# Study design

## **Design**

Study type: Observational invasive

Intervention model: Other

Allocation: Non-randomized controlled trial

Masking: Open (masking not used)

Control: Active

Primary purpose: Basic science

#### Recruitment

NL

Recruitment status: Pending

Start date (anticipated): 01-10-2024

Enrollment: 360

Type: Anticipated

## **Ethics review**

#### Approved WMO

4 - Blood immune analysis to predict severity and threshold of the allergic response ... 6-05-2025

Date: 29-10-2024

Application type: First submission

Review commission: METC Erasmus MC, Universitair Medisch Centrum Rotterdam

(Rotterdam)

# **Study registrations**

## Followed up by the following (possibly more current) registration

No registrations found.

## Other (possibly less up-to-date) registrations in this register

No registrations found.

## In other registers

Register ID

CCMO NL86818.078.24