

Effects of crisis cards/plans for people with psychotic illnesses, facilitated through local patient organisation and through clinician, on the number of crisiscontacts with mental health services and the number of (compulsory) admissions.

Gepubliceerd: 18-12-2007 Laatste bijgewerkt: 13-12-2022

N/A

Ethische beoordeling	Positief advies
Status	Werving gestopt
Type aandoening	-
Onderzoekstype	Interventie onderzoek

Samenvatting

ID

NL-OMON20794

Bron

Nationaal Trial Register

Verkorte titel

Rotterdams onderzoek crisisKaarten (ROCK)

Aandoening

Psychiatric crisis.

Ondersteuning

Primaire sponsor: Bavo Europaort

Overige ondersteuning: ZON Mw

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

The number of crisis contacts with mental health services and the number and duration of (compulsory) admissions.

Toelichting onderzoek

Achtergrond van het onderzoek

A randomised controlled trial examines the effectiveness of crisis cards/plans for people with psychotic illnesses, facilitated through local patients organisation or through clinician, on the number of crisis contacts with the mental health services and the number of (compulsory) admissions.

Doel van het onderzoek

N/A

Onderzoeksopzet

Baseline, 9 months after randomisation and 18 months after randomisation.

Onderzoeksproduct en/of interventie

Crisis plan/card facilitated through local patients organisation or through the clinician.

Contactpersonen

Publiek

Equator
AMC De Meren
Tafelbergweg 25

Astrid Kamperman

Amsterdam 1105 BC
The Netherlands
+31(0)20-5667289

Wetenschappelijk

Equator
AMC De Meren
Tafelbergweg 25

Astrid Kamperman
Amsterdam 1105 BC
The Netherlands
+31(0)20-5667289

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

Patients with psychotic disorder or bipolar disorder, who had at least one crisis contact with mental health services or had been (compulsorily) admitted during the previous two years, and who are presently receiving out-patient treatment.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

1. Organic mental syndrome;
2. unable to give informed consent because of mental incapacity;
3. insufficient command of Dutch.

Onderzoeksopzet

Opzet

Type: Interventie onderzoek

Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blindering:	Enkelblind
Controle:	Actieve controle groep

Deelname

Nederland	
Status:	Werving gestopt
(Verwachte) startdatum:	15-10-2007
Aantal proefpersonen:	240
Type:	Werkelijke startdatum

Ethische beoordeling

Positief advies	
Datum:	18-12-2007
Soort:	Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL1131
NTR-old	NTR1166
Ander register	MEC : 7.109
ISRCTN	ISRCTN wordt niet meer aangevraagd

Resultaten

Samenvatting resultaten

Protocol:

The effects of crisis plans for patients with psychotic and bipolar disorders: a randomised controlled trial.

Ruchlewska A, Mulder CL, Smulders R, Roosenschoon BJ, Koopmans G, Wierdsma A.
BMC Psychiatry. 2009 Jul 9;9:41. doi: 10.1186/1471-244X-9-41.

Primary results:

Effect of crisis plans on admissions and emergency visits: a randomized controlled trial.

Ruchlewska A, Wierdsma AI, Kamperman AM, van der Gaag M, Smulders R, Roosenschoon BJ, Mulder CL.

PLoS One. 2014 Mar 19;9(3):e91882. doi: 10.1371/journal.pone.0091882. eCollection 2014.

Secondary results:

Crisis plans facilitated by patient advocates are better than those drawn up by clinicians: results from an RCT.

Ruchlewska A, Mulder CL, Van der Waal R, Kamperman A, Van der Gaag M.

Adm Policy Ment Health. 2014 Mar;41(2):220-7. doi: 10.1007/s10488-012-0454-4.

A. Ruchlewska, A.M. Kamperman, A.I. Wierdsma, M. van der Gaag, C.L. Mulder (2016).

Determinants of implementation and use of psychiatric advance statements in mental healthcare in the Netherlands. Psychiatric Services, doi: 10.1176/appi.ps.201400495.

B. A. Ruchlewska, A.M. Kamperman, M. van der Gaag, A.I. Wierdsma & C.L. Mulder (2015).
Working Alliance in Patients with Severe Mental Illness Who Need a Crisis Intervention Plan.
Community Mental Health Journal, 02/2015, DOI: 10.1007/s10597-015-9839-7.