Biomarkers in mitochondrial patients and healthy volunteers

Gepubliceerd: 26-10-2021 Laatst bijgewerkt: 15-05-2024

To explore, whether markers of mitochondrial dysfunction measured in isolated PBMCs or immune cell subpopulations differ between subjects with mitochondrial disorders and cardiomyopathy and healthy volunteers.

Ethische beoordeling	Positief advies
Status	Werving gestart
Type aandoening	-
Onderzoekstype	-

Samenvatting

ID

NL-OMON21411

Bron
NTR

Verkorte titel
CHDR2111

Aandoening

cardiomyopathy, mitochondrial diseases, energy metabolism disease

Ondersteuning

Primaire sponsor: OMEICOS Therapeutics GmbH
Overige ondersteuning: Sponsor

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

The difference in performance of mitochondrial function assays between MitoD subjects and HV subjects

Toelichting onderzoek

Achtergrond van het onderzoek

OMT-28 is a fully synthetic small molecule that belongs to the family of 17, 18-epoxyeicosatetraenoic acid (17,18-EEQ) analogs, a natural metabolite of the omega-3 fatty acid eicosapentaenoic acid (EPA). The safety of various doses of OMT-28 was studied in toxicology studies in various species, as well as in a First-in-Human study including a Single-Ascending-Dose (SAD) and Multiple Ascending-Dose (MAD) part, and a Phase 2a Proof-of-Concept (PoC) study (PROMISE-AF) in subjects with atrial fibrillation. 3 Recent non-clinical studies showed the potential of OMT-28 to positively affect mitochondrial function and survival. Therefore, OMT-28 is currently being developed for the treatment of cardiomyopathy in subjects with mitochondrial diseases and in subjects with coronary artery disease.
Subjects with mitochondrial disorder and cardiomyopathy might benefit from treatment with OMT-28, due to the potential positive effects
of OMT-28 on mitochondrial function and survival. This non-interventional study aims to characterize these subjects using different markers of mitochondrial function and inflammation, and to assess using ex-vivo assays in blood the potential effect of OMT-28 on mitochondrial function.
The aim of this non-interventional study is to characterize subjects regarding their levels of mitochondrial dysfunction and inflammation
markers, and to identify those subjects who might benefit most from OMT-28 treatment based on the ex-vivo blood assay results. The
results of this study are supposed to guide the design of future clinical interventional studies with OMT-28.

Doel van het onderzoek

To explore, whether markers of mitochondrial dysfunction measured in isolated PBMCs or immune cell subpopulations differ between subjects with mitochondrial disorders and cardiomyopathy and healthy volunteers.

Onderzoeksopzet

Screening and blood donation will occur on the same day. No treatment period and follow up.

Onderzoeksproduct en/of interventie

N.A.

Contactpersonen

Publiek

Centre for Human Drug Research
M. Moerland

+31 71 5246 400

Wetenschappelijk

Centre for Human Drug Research
M. Moerland

+31 71 5246 400

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

All subjects
1. Adults between 18 and 75 years, inclusive at screening
2. Body mass index (BMI) 18.0 to 30.0 kg/m2, inclusive at screening
3. Ability and willingness to abstain from alcohol at study visit
4. Subject (and/or parent/legal guardian) has voluntarily signed consent form.
5. Willingness and ability to comply with all study procedures.
6. Ability to communicate with the investigator in Dutch or English

Subjects of cohort 1 with Mitochondrial Disorder (in addition)
7. Diagnosis of Mitochondrial Disorder, confirmed by:
a. Genetic testing at any time prior to screening showing m.3243A>G mutation
b. Newcastle Mitochondrial Disease Scale (NMDAS) score ≥11
8. Current cardiomyopathy documented as:
Left ventricular hypertrophy (LVH) on echocardiography (defined as interventricular septal thickness (IVS) / left
ventricular posterior wall thickness (LVPW)) ≥ 11mm or LV mass indexed ≥ 115 g/m2

Subjects of cohort 2 Healthy Volunteers (in addition)
9. Judged to be in good health in the opinion of the Investigator on the basis of a medical evaluation that reveals
the absence of any clinically relevant abnormality
10. Matching to MitoD group for age (+/- 5 years), gender, and BMI (+/- 3 kg/m2).

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

2. Women with positive urine hCG test at screening
3. Subject has a hemoglobin values outside the normal limits (as per local lab)
4. Subject has received drug therapy with any cytostatic, sGC stimulator/activator or nitrate agent during the last 3 months
5. Subjects with evidence of arterial hypertension
6. Subjects with severe aortic valve stenosis
7. Subject has received drug therapy with Metformin during last 3 months
8. Significant psychiatric or neurological disorder that would inhibit the subject from being compliant with study procedures
14. Positive nasopharyngeal rapid antigen test for SARS-CoV-2 at admission to the clinical research center
15. Subject has received any vaccination in the last 2 weeks prior to Visit 1
Subjects of cohort 2 Healthy Volunteers (in addition)
16. Subject has acute decompensated hepatic, gastrointestinal, respiratory, cardiovascular, metabolic, immunological, or hormonal disorders.

Onderzoeksopzet

Opzet

Onderzoeksmodel:	Anders
Toewijzing:	N.v.t. / één studie arm
Blindering:	Open / niet geblindeerd
Controle:	N.v.t. / onbekend

Deelname

Nederland

Status:	Werving gestart
(Verwachte) startdatum:	27-07-2021
Aantal proefpersonen:	16
Type:	Verwachte startdatum

Voornemen beschikbaar stellen Individuele Patiënten Data (IPD)

Wordt de data na het onderzoek gedeeld: Nee

Toelichting

N.A.

Ethische beoordeling

Positief advies

Datum:	26-10-2021
Soort:	Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

ID: 51060
Bron: ToetsingOnline
Titel:

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL9830
CCMO	NL77982.056.21
OMON	NL-OMON51060

Resultaten

Samenvatting resultaten
N.A.