M@ZL op het MBO

Gepubliceerd: 29-10-2015 Laatst bijgewerkt: 13-12-2022

It is hypothesized that implementation of the MASS protocol in IVE schools will increase the chances of obtaining a degree and a better chance of work employment in later life. An adequate approach to absenteeism using the MASS protocol at IVE...

Ethische beoordeling Positief advies **Status** Werving gestart

Type aandoening

Onderzoekstype Interventie onderzoek

Samenvatting

ID

NL-OMON21533

Bron

NTR

Verkorte titel

MASS Protocol / Preventieprogramma 5

Aandoening

Youth health care, Youth health care physician, medical absenteeism in Intermediate Vocational Education, drop out, school absenteeism, MASS protocol. M@ZL, ziekteverzuim, Jeugdgezondheidszorg

Ondersteuning

Primaire sponsor: Erasmus Medisch Centrum Rotterdam.

Overige ondersteuning: ZonMw Projecten, Onderzoek en Resultaten Nederland.

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

Outcomes are measured in students with alarming absenteeism in the control group and the

intervention group. The effects of the MASS protocol will be evaluated at 6-months follow-up by comparing the outcomes on mental health status and absenteeism between the students in the intervention group and students in the control group. Furthermore, presence of medical diagnoses, psychosocial problems, psychiatric problems and existing risk factors such as depression, ADHD, addiction, ethnicity, debts and having a job, will be examined.

- 1. Average duration of the absence in the past two months, and six months after determining alarming absenteeism.

- 3. Academic performances as measured by the number of students passing onto the next year or obtaining a basic educational qualification degree.

- 4. The extent to which the chosen education program matches the student's talents and interests.

<

Outcomes process evaluation (measured in intervention schools only):

only):

only):

only):

only):<br/

- 1. The extent to which a YHC professional have followed the MASS protocol, measured by the adequate implementation of the consultations

- 2. The method of applying the protocol to the problem analysis < br >
- 3. Method of communicating with the student about the agreed arrangements < br >
- 4. Method of communication with the school<br
- 5. Method of monitoring the agreed arrangements

- 6. Evaluating the features of students referred to a YHC professional by the IVE schools such as gender, age, educational level, home environment, police contacts, drug abuse, pregnancy and abortion.

Toelichting onderzoek

Achtergrond van het onderzoek

Truancy and absenteeism are positively associated to early school dropout and may result in severe and complex problems in later life. Especially at Intermediate Vocational Education (IVE) schools this remains a common problem. The MASS protocol, an intervention focusing on an active commitment of the Youth Health Care professionals , has been developed and found effective high schools and has been adjusted for IVE schools. The aim of the study outlined in this paper is to evaluate the effectiveness of the MASS protocol at IVE schools in terms of absenteeism, school dropout and adequate study programs as well as the factors that influence the effectiveness.

A controlled before-and-after study will be conducted within twelve IVE schools in the Netherlands. Schools are divided into intervention and control schools, based on their current absenteeism policy. The intervention schools implement the MASS protocol. This protocol

consists of active absence support provided by the school, a school meeting with the student concerning the absence, a request by the school of a consultation with the YHC professional and finally an appointment of the student with the YHC professional. Control schools provide care as usual. Students of both intervention and control schools meeting the MASS absenteeism criteria (i.e. very fourth reporting absences in twelve weeks of school or after seven consecutive days of absence) will be included in the study. Primary outcome measures are duration of absence, cumulative incidence of absenteeism, academic performances, and personal interests of school performances will be measured in both groups by whether or not a student progress unto the next year or obtained a basic educational qualification degree. Secondary outcome measures involve medical, physical, mental and psychiatric factors. In addition, a process evaluation will be conducted to investigate exposure to and experience with the intervention, both among YHC professionals and students.

It is hypothesized that implementation of the MASS protocol is effective among IVE students and incorporating a referral to a YHC professional will increase the chances of obtaining a degree. An adequate approach to reducing absenteeism among IVE students can provide many health benefits and maximize participation opportunities such as a better chance of work employment in later life.

This study will be conducted in the Netherlands among IVE students (aged 16-21). Students under the age of 18 leaving lower secondary school enter one of the four vocational programs: technology, economics, agricultural, personal/social services and health care. The IVE schools prepare students for a specialized trade by developing an expertise. After graduating from an IVE school one can enter Higher Profession Education (Hoger beroepsonderwijs) or university.

Doel van het onderzoek

It is hypothesized that implementation of the MASS protocol in IVE schools will increase the chances of obtaining a degree and a better chance of work employment in later life. An adequate approach to absenteeism using the MASS protocol at IVE schools can therefore provide many health benefits and maximize participation opportunities such as a better chance of work employment in later life.

Onderzoeksopzet

Data collection started in September 2015 and will continue until August 2016 through questionnaires completed by IVE students and YCH professionals. Students will complete a questionnaire at baseline, after 6 months and after each consult with a YHC professional.

Strengths and Difficulties Questionnaire (identifying psychopathology): timepoint week 1 and 6 months.

The Center for Epidemiologic Studies Depression scale (depressed mood, guilt, feelings of inferiority, feelings of helplessness, despair, loss of appetite, sleep and psychomotor retardation): timepoint week 1 and 6 months.

The 12-item Short Form Health Survey (Quality of life): timepoint week 1 and 6 months.

International Classification of Functioning, Disability and Health for Children and Youth (body functions, body structures, activities and participation and environmental factors): Timepoint after each consultation with a Youth Health Care Professional.

Onderzoeksproduct en/of interventie

The control group consists of IVE schools that have not (yet) implemented the MASS protocol. They continue to provide care as usual using their current absenteeism policy. This consist usual guidance offered by the school including consultation of the Care Advisory Team and referring to the school attendance officer when minimum statutory criteria of absenteeism is reached.

Schools in the intervention group consent to work according to the MASS protocol. Prior to the start of the study all YHC professional in the intervention schools are offered a MASS training. The intervention focuses specifically on absenteeism caused by sickness since there is a high risk association with somatic, mental and physical complains, poor lifestyle and psychological, family and social problems. Given these high associations, an active approach on these risk factors will be accomplished. Concentrating on medical absenteeism MASS aims to prevent further sick report.

The intervention focuses at two levels; the school level and the individual level. At school level, the policy will be tightened around absenteeism. Key elements of the MASS protocol at school level consists of active monitoring of student absence, approaching students with alarming absence by personal contact, requesting a consultation with the YHC professional, and arranging a follow up for each student in the care Advisory Team.

At an individual level students with alarming absenteeism will be identified and supervised (see Figure 2). For these students appropriate care and education will be organized. For each student a care plan will follow including active support by the school starting from the first day of absence, a meeting with the student concerning the absence with the school and a referral to and a consultation with a YHC professional.

The YHC professional along with the student, and possible the parents, formulate a plan of action focused on advices regarding the necessary healthcare, assistance and reintegration. Agreements are made regarding to realization of the suggested health care, support and reintegration program. The method is based on the handbook "Quickly back to school". The intervention will consist of at least one meeting with a YHC professional. The YHC professional emphasizes the student's personal responsibility. Whichever care plan is communicated, the YCH professional is accountable of monitoring the procedure accurately.

Contactpersonen

Publiek

Erasmus MC. Department of Public Health

Madelon K. van der Vlis P.O. Box 2040

Rotterdam 3000 CA
The Netherlands

Tel. number: +31611599201

Wetenschappelijk

Erasmus MC. Department of Public Health

Madelon K. van der Vlis P.O. Box 2040

Rotterdam 3000 CA The Netherlands

Tel. number: +31611599201

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

All students at intervention schools and control schools are included in the study if they meet the criterion of extensive absenteeism. This criterion is derived from the MASS protocol and means that a student meets the criterion after every fourth reporting absences in twelve weeks of school or after seven consecutive days of absence. This data is converted from the registration system of the school. Once students have been detected they will be asked to participate in the study followed by an informed consent process.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

Students that do not want to participate in the study. Students under the age of 18 whose parents object. Students that do not meet the MASS criteria. Students who meet the criteria but do not complete the intervention or control will not be part of the statistical analysis but will be discussed seperately.

Onderzoeksopzet

Opzet

Type: Interventie onderzoek

Onderzoeksmodel: Parallel

Toewijzing: Niet-gerandomiseerd

Blindering: Open / niet geblindeerd

Controle: Geneesmiddel

Deelname

Nederland

Status: Werving gestart

(Verwachte) startdatum: 01-09-2015

Aantal proefpersonen: 480

Type: Verwachte startdatum

Ethische beoordeling

Positief advies

Datum: 29-10-2015

Soort: Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register ID

NTR-new NL5274 NTR-old NTR5556

Ander register ZonMw: 531005011

Resultaten

Samenvatting resultaten

March 2017