

Spontaneous Hemoperitoneum in Pregnancy (SHiP) and Endometriosis - Impact on Quality of Life and Illness Perception

Gepubliceerd: 10-06-2016 Laatste bijgewerkt: 13-12-2022

Increased knowledge in the physiological recovery after SHiP could contribute to appropriate counseling about the emotional impact of the event and could lead to a more extensive follow-up to recognize the need for psychological help of both women...

Ethische beoordeling	Positief advies
Status	Werving gestart
Type aandoening	-
Onderzoekstype	Observationeel onderzoek, zonder invasieve metingen

Samenvatting

ID

NL-OMON21857

Bron

Nationaal Trial Register

Verkorte titel

n.a.

Aandoening

Endometriosis, SHiP, hemoperitoneum, pregnancy

Ondersteuning

Primaire sponsor: VU University Medical Center Amsterdam

Overige ondersteuning: VU University Medical Center Amsterdam

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

The aim of this study is to gain better insight in the psychological and functional recovery of women, and their partners, after SHIP.

Toelichting onderzoek

Achtergrond van het onderzoek

The aim of this study is to gain better insight in the psychological and functional recovery of women, and their partners, after SHIP.

Doel van het onderzoek

Increased knowledge in the physiological recovery after SHiP could contribute to appropriate counseling about the emotional impact of the event and could lead to a more extensive follow-up to recognize the need for psychological help of both women and their partner.

Onderzoeksopzet

n.a.

Onderzoeksproduct en/of interventie

Questionnaires (SF-36, SVL, UCL, PRISM-RII) and an individual face-to-face in-depth interview will be carried out.

Contactpersonen

Publiek

VU Medical Centre
Boelelaan 1118

Marit Lier
Amsterdam 1081 HZ
The Netherlands
020 4445278

Wetenschappelijk

VU Medical Centre
Boelelaan 1118

Marit Lier
Amsterdam 1081 HZ
The Netherlands
020 4445278

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

Eleven women with SHiP in their obstetrical history, who already gave written permission to include their case in our previous case-series, will be asked to participate in this trial. Partners will be asked separately if they are willing to participate.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

If women or their partners are unable or unwilling to give informed consent, they will be excluded from participation in this trial.

Onderzoeksopzet

Opzet

Type:	Observationeel onderzoek, zonder invasieve metingen
Onderzoeksmodel:	Anders
Toewijzing:	N.v.t. / één studie arm
Blinding:	Open / niet geblindeerd
Controle:	N.v.t. / onbekend

Deelname

Nederland	
Status:	Werving gestart
(Verwachte) startdatum:	08-06-2016
Aantal proefpersonen:	11
Type:	Verwachte startdatum

Ethische beoordeling

Positief advies	
Datum:	10-06-2016
Soort:	Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL5813
NTR-old	NTR5968
Ander register	: VUmc 2016-834

Resultaten

Samenvatting resultaten

Lier MC, van Waesberghe JH, Maas JW et al. The relation between Spontaneous

Hemoperitoneum in Pregnancy (SHiP) and endometriosis - data from a Nationwide Dutch consorted action. Poster presented at the Annual Meeting of the European Society of Human Reproduction and Embryology, 3-6 July 2016, Helsinki, Finland.