

# The pediatric nurse: link between pediatrics and youth health care

Gepubliceerd: 31-01-2017 Laatste bijgewerkt: 18-08-2022

The deployment of the pediatric nurse as linking pin between pediatrics and the social domain, shortens the throughput to appropriate support for children with (psycho)social problems and it enlarges the satisfaction of parents and children with the...

<b>Ethische beoordeling</b>	Positief advies
<b>Status</b>	Werving nog niet gestart
<b>Type aandoening</b>	-
<b>Onderzoekstype</b>	Interventie onderzoek

## Samenvatting

### ID

NL-OMON22343

### Bron

NTR

### Verkorte titel

JIVES: Jeugdverpleegkundige VERbindingschakel Sociaal domein

### Aandoening

Mental problems, social problems, psychosocial problems, psycho-somatic problems, interdisciplinary collaboration, youth healthcare, social domain.

Dutch:

Mentale problematiek, sociale problematiek, psychosociale problematiek, psychosomatische problematiek, interdisciplinaire samenwerking, de jeugdgezondheidszorg, sociaal domein.

## Ondersteuning

**Primaire sponsor:** GGD West-Brabant

**Overige ondersteuning:** ZonMw

## Onderzoeksproduct en/of interventie

### Uitkomstmaten

#### Primaire uitkomstmaten

Parental and children's satisfaction with the care provided (Exit questionnaire)<br>Parental and children's satisfaction with the care provided is measured by use of the validated Youth- and raising help questionnaire, Exit. The Exit questionnaire contains a parental and children's (12 years and over version.<br><br>

Throughput<br>

Throughput is measured as the timespan between the first consultation with the pediatrician and the first contact with follow-up care.

## Toelichting onderzoek

#### Achtergrond van het onderzoek

Dutch pediatricians are confronted with several problems in which (psycho)social factors are involved. Because of these problems pediatricians feel the need to a close cooperation with the Dutch Youth healthcare.

The Amphia hospital in Breda in the Netherlands has started with an integral model of cooperation concerning the care for children with these types of problems. Two pediatric nurses are present at the outpatient clinic of the Amphia hospital. They form the linking pin between pediatrics and the social domain.

Purpose: Is this model of cooperation effective and is it of added value compared to usual care?

Study design: Randomized Controlled Trial.

Study population: The study population concerns of children aged 0-18 years, in which (psycho)social factors are involved.

Intervention: The intervention is the new cooperation model at the outpatient clinic of the Amphia hospital.

Whenever the anamneses of the pediatrician shows that the child suffers from (psycho)social problems, the study will be explained to the child and its parents and the research information as

well as an informed consent form will be hand over by the pediatrician. Once the informed consent

form is signed, the child is included in the study and allocated by randomization to the intervention group, the child is referred to the pediatric nurse for (psycho)social problems. If the child is suffering from somatic problems for which specialist help is necessary, these problems will be treated by the pediatrician. The children (and parents) in the intervention group will be contacted by the pediatric nurse. Together with the children and parents she considers what is necessary for the child. If necessary she transfers the children to other professional authorities. Children in the control group receive 'care as usual', which implies that the parents/child follow the advice from the pediatrician, given by the research nurse, for the follow-up care.

Primary study parameters: The primary study parameters are parental and children's satisfaction with the care provided (Exit questionnaire) and the throughput from the first consultation to fitting care. Other study parameters are parenting stress and taxation of problem severity from the professional's point of view.

Secondary study parameters:

The secondary study parameters are problem severity from a parental- (VAS: for children 0-2 years, SDQ: for children 2-18 years) and professional (VAS) perspective as well as costs involved in the new working method.

## **Doel van het onderzoek**

The deployment of the pediatric nurse as linking pin between pediatrics and the social domain, shortens the throughput to appropriate support for children with (psycho)social problems and it enlarges the satisfaction of parents and children with the care provided.

## **Onderzoeksopzet**

Throughput

Intervention group: first consultation with the pediatrician, first consultation with the pediatric nurse, last consultation with the pediatric nurse.

Control group: first consultation with the pediatrician, first consultation with youth healthcare or general practitioner, last consultation with youth healthcare or general practitioner.

Parental and children's satisfaction (Exit-questionnaire)

First measurement

Intervention group: immediately upon ending the intervention

Control group: Three months after the first consultation with the pediatrician

Second measurement

Intervention group: Three months upon ending the intervention

Control group: Six months after the first consultation with the pediatrician

Parenting stress

First measurement: immediately after inclusion

Second measurement: at the end of the intervention (intervention group)/ three months after the first consultation with the pediatrician (control group)

Problemseverity

Parental perspective JIVES scoring-form:

0-2 years: the JIVES scoring-form will be completed immediately after inclusion and end of the intervention (intervention group)/three months after the first consultation with the pediatrician (control group).

2-18 years: The SDQ will be completed immediately after inclusion and at the end of the intervention (intervention group)/three months after the first consultation with the pediatrician (control group).

Both parents and children aged 11 and over will complete this questionnaire.

Professional perspective JIVES scoring-form:

At the end of the first and control consultation with the child the JIVES scoring-form will be completed by the pediatrician.

#### Evaluation new working method

At months 8, 11 and 14 a focus group interview will be held with professionals to evaluate the program integrity, the efficiency and effectivity of the new working method, the collaboration process and the total approach.

#### Intervention costs and structural funding

At the end of 2017/beginning of 2018 information concerning the costs will be collected and interviews with experts concerning structural funding of the new working method will be planned.

### **Onderzoeksproduct en/of interventie**

#### Intervention

The intervention comprises the procedure that started in 2015 at the Amphia hospital, Breda, The Netherlands. In this procedure, pediatric nurses are the linking pin between pediatrics, Dutch Youth healthcare and social domain.

Two pediatric nurses are present at the outpatient clinic of the Amphia hospital during one shift/week for the execution of the intervention. In addition as part of the intervention, they have the availability to pay visits to other locations (i.e. the clients home) during 1.5 day/week.

The procedure starts at the moment a child (and its parents) consults a pediatrician. If it appears from the anamnesis by the pediatrician that the child suffers from problems in which (psycho)social factors are involved, the child can be considered for inclusion in the study. If so, the pediatrician explains the study to the child and its parents, hands them over the research information as well as an informed consent form. In addition the pediatrician refers the child to the pediatric nurse for (psycho)social problems. The pediatric nurse contacts the family by telephone within two weeks after the consultation with the pediatrician. In consultation with the child and the parents an appointment is made at the parents' house or at the outpatient clinic. During this consultation the pediatric nurse clarifies the problem and together with the parents and the child she considers which care fits best to the child. This procedure can take several consultations. When necessary, the pediatric nurse connects the child to other professional authorities in the field as for example the infant welfare center (i.e. teaching in upbringing) or specialized youth assistance. When it becomes clear that the family is able to go on by itself or when they are transferred to another professional authority the pediatric nurse closes the contact after a written feedback to the family, the pediatrician

and (with parental consent) the general practitioner and other professional parties involved. Three months after closing down the contact with the pediatric nurse there is a control consultation with the pediatrician. If the child suffers from somatic problems which need attention of a pediatrician, the pediatrician takes care of this.

‘Care as usual’

For the control group, the procedure starts with a consultation to the pediatrician as well. If it appears from the anamnesis by the pediatrician that the child suffers from problems in which (psycho)social factors are involved, the child can be considered for inclusion in the study. If so, the pediatrician explains the study to the child and its parents, hands them over the research information as well as an informed consent form. Once the informed consent form is signed, the child is included in the study and allocated by randomization to the control group, the child is offered ‘care as usual’. In this study ‘care as usual’ implies that the parents/child follow the advice from the pediatrician, given by the research nurse, for the follow-up care. Whenever the child suffers from somatic problems which need attention of the pediatrician, the pediatrician takes care of this. Six months after the consultation with the pediatrician there is a control consultation with the pediatrician.

## Contactpersonen

### Publiek

GGD West-Brabant

S Kuiper  
PO Box3024

Tilburg 5003 DA  
The Netherlands  
+31612919590

### Wetenschappelijk

GGD West-Brabant

S Kuiper  
PO Box3024

Tilburg 5003 DA  
The Netherlands  
+31612919590

## Deelname eisen

### Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

All children, aged 0-18 years, who visit the outpatient clinic of the Amphia hospital from October 2017 to May 2018, and suffer from the following problems are eligible for the study:

During the consultation, the pediatrician checks whether the child is eligible for inclusion in the study. If a child is eligible, the pediatrician explains the study and hands over an informed consent form. At the moment a parent of the child and the child itself (age 12 and over) has signed the informed consent, the child is included in the study. Somatic complaints will be treated by the pediatrician for both the children from the intervention and the control group.

### Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

Whenever, at the moment of inclusion, the child is suffering from serious psychiatric problems or (complex) medical problems for which acute care is required, the child will not be included. Here are two forms of urgency:

- Acute care concerning another form of specialized medical care
- Acute care which needs extra assistance from the social domain

Whenever these problems reveal themselves during the study child will be excluded from the study. During the study it will be documented how many and for what reason children will be excluded from the study.

## Onderzoeksopzet

### Opzet

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blinding:	Enkelblind

Controle: Geneesmiddel

## Deelname

Nederland

Status: Werving nog niet gestart

(Verwachte) startdatum: 01-10-2017

Aantal proefpersonen: 150

Type: Verwachte startdatum

## Ethische beoordeling

Positief advies

Datum: 31-01-2017

Soort: Eerste indiening

## Registraties

### Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

### Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

### In overige registers

Register	ID
----------	----

NTR-new	NL6322
---------	--------

NTR-old	NTR6497
---------	---------

Ander register METC Brabant: NL62592.028.17 (ABR Nummer: 62592) : ZonMw: 736200015

## Resultaten



## **Samenvatting resultaten**

NA