

Physiotherapy, is there a difference? Consequence of less movement in patients with ankylosing spondylitis.

Gepubliceerd: 24-07-2012 Laatste bijgewerkt: 18-08-2022

Consequence on the mobility of patients who have ankylosing spondylitis due to not paying for the consult of the physiotherapist by the health insurance of the patient.

Ethische beoordeling	Positief advies
Status	Werving gestopt
Type aandoening	-
Onderzoekstype	Observationeel onderzoek, zonder invasieve metingen

Samenvatting

ID

NL-OMON23026

Bron

Nationaal Trial Register

Verkorte titel

FSA

Aandoening

ankylosing spondylitis, physiotherapy, mobility

Ondersteuning

Primaire sponsor: Atrium Medical Center and Zuyd Hogeschool Heerlen

Overige ondersteuning: Initiator

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

Consequence on the mobility, quality of life, disease activity and VAS in patients with ankylosing spondylitis due to not paying for the consult of the physiotherapist by the health insurance of the patient.

Methods of measurement: Questionnaires VAS, SF36, BASDAI, BASFI, movement diary and use of pain medication.

Toelichting onderzoek

Achtergrond van het onderzoek

Physiotherapy is there a difference?

Consequence of less movement in patients with ankylosing spondylitis.

Consequence on the mobility with patients who have ankylosing spondylitis due to not paying for the consult of the physiotherapist by the health insurance of the patient.

The patient will fill in several questionnaires at 3 or 4 moments prospective in time.

Doel van het onderzoek

Consequence on the mobility of patients who have ankylosing spondylitis due to not paying for the consult of the physiotherapist by the health insurance of the patient.

Onderzoeksopzet

Start aug/ september 2012 until april/ may 2013.

Onderzoeksproduct en/of interventie

N/A

Contactpersonen

Publiek

Henri Dunantstraat 5

K. Pintaric
Heerlen 6419 PC
The Netherlands
+31 (0)45 5766688

Wetenschappelijk

Henri Dunantstraat 5
K. Pintaric
Heerlen 6419 PC
The Netherlands
+31 (0)45 5766688

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

1. Patient with ankylosing spondylitis;
2. Patient 18 years or older;
3. Patient who have had physiotherapy;
4. Patient willing to give informed consent.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

Patients with a recent exacerbation of ankylosing spondylitis.

Onderzoekopzet

Opzet

Type:	Observationeel onderzoek, zonder invasieve metingen
Onderzoeksmodel:	Parallel
Toewijzing:	Niet-gerandomiseerd

Blinding:	Open / niet geblindeerd
Controle:	Actieve controle groep

Deelname

Nederland	
Status:	Werving gestopt
(Verwachte) startdatum:	01-08-2012
Aantal proefpersonen:	75
Type:	Werkelijke startdatum

Ethische beoordeling

Positief advies	
Datum:	24-07-2012
Soort:	Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL3401
NTR-old	NTR3544
Ander register	: 12-N-75/III
ISRCTN	ISRCTN wordt niet meer aangevraagd.

Resultaten

Samenvatting resultaten

N/A