

Non-invasive markers for colorectal cancer screening.

Gepubliceerd: 25-06-2008 Laatste bijgewerkt: 18-08-2022

Non-invasive markers have an additional role in screening and surveillance of patients at high risk for CRC.

Ethische beoordeling	Niet van toepassing
Status	Werving nog niet gestart
Type aandoening	-
Onderzoekstype	Observationeel onderzoek, zonder invasieve metingen

Samenvatting

ID

NL-OMON23263

Bron

Nationaal Trial Register

Verkorte titel

N/A

Aandoening

colorectal cancer, colorectal neoplasia, colorectal neoplasms, high risk population, family history

Ondersteuning

Primaire sponsor: Maastricht University Medical Center

Overige ondersteuning: Maastricht University Medical Center

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

Diagnostic accuracy of molecular and protein markers in screening for colorectal neoplasia in subjects at high-risk for CRC and CRC patients, in comparison with average-risk subjects.

Toelichting onderzoek

Achtergrond van het onderzoek

Rationale: Colonoscopy is considered to be the gold standard for the detection of colorectal neoplasia. However, this method has important disadvantages, such as invasiveness, complication risk, and possible shortage of clinical capacity. Therefore, the potential additional role of non-invasive screening methods as pre-selection tool for colonoscopy, deserves further investigation. Non-invasive markers for CRC have recently been developed for blood and feces. These markers are currently tested in an average-risk population. In patients at high-risk, as a result of a positive family history, the clinical utility of these markers as pre-selection tool has not been investigated yet. Likewise, no data are available regarding the potential role of these markers in risk stratification of these patients. The clinical utility of such markers to identify risk profiles and hence, to design more individualized surveillance strategies, deserves further investigation.

Objective:

Two issues will be addressed:

- I. To study the diagnostic accuracy of molecular and protein markers in screening for colorectal neoplasia in subjects at high-risk for CRC and CRC patients, in comparison with average-risk subjects.
- II. To investigate the role of non-invasive markers in risk stratification of patients at high-risk for CRC. To provide insights in the molecular features of patients at high-risk.

Study design:

For this purpose, a prospective, cross-sectional study will be performed. The following groups of patients will be included:

- i) 200 patients with a family history of CRC and
- ii) 150 patients diagnosed with CRC.

Medical data will be collected, all subjects will undergo colonoscopy and non-invasive markers for colorectal neoplasia will be investigated in blood and fecal samples. Additionally, a subset of patients with a non-colorectal gastrointestinal malignancy (e.g. esophageal, gastric or pancreatic cancer) will be included in order to investigate the influence of these lesions on the non-invasive markers profile.

Doel van het onderzoek

Non-invasive markers have an additional role in screening and surveillance of patients at high risk for CRC.

Onderzoeksopzet

2 years

Onderzoeksproduct en/of interventie

Collection of blood and fecal samples (once). Non-invasive markers for colorectal neoplasia will be determined in blood, feces and tissue. All combinations of markers will be tested in order to optimize the diagnostic accuracy for colorectal neoplasia, considering the outcome of colonoscopy as the gold standard. In addition the results of the non-invasive markers in patients at high-risk will be compared with the results of an average-risk population, in order to identify risk factors.

Contactpersonen

Publiek

University Hospital Maastricht
Department of Gastroenterology and Hepatology
PO BOX 5800
S. Sanduleanu
University Hospital Maastricht
Department of Gastroenterology and Hepatology
Maastricht 6202 AZ
The Netherlands
+31 (0)43 3875021

Wetenschappelijk

University Hospital Maastricht
Department of Gastroenterology and Hepatology
PO BOX 5800
S. Sanduleanu
University Hospital Maastricht
Department of Gastroenterology and Hepatology
Maastricht 6202 AZ
The Netherlands
+31 (0)43 3875021

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

- This population will include patients with hereditary forms of CRC (Lynch syndrome or FAP) as well as patients fulfilling the criteria for familial CRC syndrome:

- i) ³ 1 first degree relative (FDR) with CRC diagnosed < 50 year or
 - ii) ³ 2 FDR with CRC diagnosed between 50-70 year or
 - iii) 1 FDR and 1 second degree relative with CRC diagnosed < 70 year.
- Furthermore patients diagnosed with CRC will be included.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

Individuals will be excluded if:

1. Younger than 18 years of age
2. Diagnosed with inflammatory bowel disease (Crohn's disease or ulcerative colitis)
3. Diagnosed with major co-morbidity which may interfere with the outcome of the study (e.g. severe cardiovascular or pulmonary disease, other malignancies)

Onderzoeksopzet

Opzet

Type:	Observationeel onderzoek, zonder invasieve metingen
Onderzoeksmodel:	Parallel
Toewijzing:	Niet-gerandomiseerd
Blinding:	Open / niet geblindeerd
Controle:	N.v.t. / onbekend

Deelname

Nederland	
Status:	Werving nog niet gestart
(Verwachte) startdatum:	01-09-2008
Aantal proefpersonen:	410
Type:	Verwachte startdatum

Ethische beoordeling

Niet van toepassing	
Soort:	Niet van toepassing

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL1318
NTR-old	NTR1367
Ander register	: MEC 08-2-038
ISRCTN	ISRCTN wordt niet meer aangevraagd

Resultaten

Samenvatting resultaten

N/A