

What's patients' favorite volume mouthwash to rinse with?

Gepubliceerd: 22-02-2011 Laatste bijgewerkt: 18-08-2022

Patients' favorite volume mouthwash for rinsing is 15ml.

Ethische beoordeling	Niet van toepassing
Status	Werving gestart
Type aandoening	-
Onderzoekstype	Interventie onderzoek

Samenvatting

ID

NL-OMON25174

Bron

NTR

Aandoening

nvt

Ondersteuning

Primaire sponsor: ACTA

Overige ondersteuning: GABA international, supplied materials

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

Patients' satisfaction, VAS score.

Toelichting onderzoek

Achtergrond van het onderzoek

Background of the study:

Maintaining an adequate low level of plaque through daily tooth brushing is often not feasible. Mouthwashes as an adjunct to mechanical plaque control would be valuable. Various mouthwash manufactures advises different volumes for rinsing. Till so far no studies are available about the volume mouthwash for rinsing and patients' satisfaction.

Aim of the study:

The purpose of the study is to assess patients' satisfaction when they rinse for 30 seconds with 5ml, 10ml, 15 ml, 20ml and 30ml mouthwash. In order to investigate what's patients favorite volume mouthwash to rinse with.

Material and methods:

The study is designed as a single blind, randomized 5-arm cross-over clinical trial. On one day 60 subjects will rinse, each one, with five different volumes mouthwash in randomized order: 5ml, 10ml, 15ml, 20ml and 30ml. With each volume they have to rinse for 30 seconds. Subsequently all subjects receive a questionnaire to evaluate their attitude towards the used volumes using Visual Analogue Scales (VAS-scores). One week later, they will rinse again with the five volumes in the same randomized order and with the same mouthwash.

Doel van het onderzoek

Patients' favorite volume mouthwash for rinsing is 15ml.

Onderzoeksopzet

Week 0, week 1.

Onderzoeksproduct en/of interventie

The subjects will rinse with five different volumes mouthwash in randomized order: 5ml, 10ml, 15ml, 20ml and 30ml. One week later, they will rinse again with the five volumes in the same randomized order and with the same mouthwash.

Contactpersonen

Publiek

Acedemisch Centrum Tandheelkunde Amsterdam (ACTA)

Afdeling CPT- Parodontologie

Gustav Mahlerlaan 3004
G.A. Weijden, van der

Amsterdam 1081 LA
The Netherlands
+31 (0)20 5188307

Wetenschappelijk

Acedemisch Centrum Tandheelkunde Amsterdam (ACTA)

Afdeling CPT- Parodontologie

Gustav Mahlerlaan 3004
G.A. Weijden, van der

Amsterdam 1081 LA
The Netherlands
+31 (0)20 5188307

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

≥ 18 years.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

N/A

Onderzoeksopzet

Opzet

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blinding:	Enkelblind
Controle:	N.v.t. / onbekend

Deelname

Nederland	
Status:	Werving gestart
(Verwachte) startdatum:	01-02-2011
Aantal proefpersonen:	60
Type:	Verwachte startdatum

Ethische beoordeling

Niet van toepassing	
Soort:	Niet van toepassing

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL2647
NTR-old	NTR2775
Ander register	: PAROT&P201101
ISRCTN	ISRCTN wordt niet meer aangevraagd.

Resultaten

Samenvatting resultaten

N/A