

Diagnostic accuracy of the informant version of the Gerontological Personality disorders Scale (GPS) in Dutch geriatric medicine

Gepubliceerd: 28-09-2015 Laatste bijgewerkt: 18-08-2022

In this current research we investigate whether the GPS is a reliable and valid screening instrument for PDs in geriatric medicine, and therefore could be used as a supplement on the currently used assessment methods of the multi-problems associated...

Ethische beoordeling	Positief advies
Status	Anders
Type aandoening	-
Onderzoekstype	-

Samenvatting

ID

NL-OMON25178

Bron

NTR

Aandoening

Personality disorders - Persoonlijkheidsstoornissen

Elderly - Ouderen

Geriatric medicine - Klinische Geriatrie

Gerontological Personality Disorders Scale - GPS - Gerontologische persoonlijkheidsstoornissen schaal

Hetero Anamnestic Personality scale -HAP - Hetero Anamnestiche Persoonlijkheidsschaal

Ondersteuning

Primaire sponsor: Zuyderland MC

Overige ondersteuning: Zuyderkand MC

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

The research population consists of minimal 300 outpatients (according COTAN guidelines for psychometric research) of the geriatric medicine department of Zuyderland Medical Centre Sittard-Geleen. Primary outcomes are the scores on the Gerontological Personality disorders scale GPS and Hetero Anamnestic Personality scale HAP.

Toelichting onderzoek

Doel van het onderzoek

In this current research we investigate whether the GPS is a reliable and valid screening instrument for PDs in geriatric medicine, and therefore could be used as a supplement on the currently used assessment methods of the multi-problems associated with old age. Therefore, in current research, we investigate the diagnostic accuracy of the GPS, including internal consistency, test-retest reliability, construct validity and predictive validity in a Dutch geriatric medicine population.

Onderzoeksopzet

Physicians and nurse practitioners of the department of geriatric medicine will approach patients to participate in current search in their first consultation. The informants are once asked (with content of the patient) to fill out the questionnaires. 50 of them will be asked to fill out the questionnaires 3 weeks later once again.

Onderzoeksproduct en/of interventie

Administration of two hetero anamnestic personality questionnaires by informants of outpatients who visit te department of geriatric medicine.

Contactpersonen

Publiek

Zuyderland Geestelijke Gezondheidszorg

Esmeralda Meuwissen- van Pol
Dr. H. van der Hoffplein 1

Sittard 6162 BG
The Netherlands
088-459 93 93

Wetenschappelijk

Zuyderland Geestelijke Gezondheidszorg

Esmeralda Meuwissen- van Pol
Dr. H. van der Hoffplein 1

Sittard 6162 BG
The Netherlands
088-459 93 93

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

Outpatients of the geriatric medicine department of Zuyderland Medical Centre Sittard-Geleen. All patients, irrespective of age or gender, referred to the department of Geriatric Medicine will be included in this research.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

The exclusion criterion is the lack of an informant, such as spouse, sibling or child because our assessment will focus on informant information.

Onderzoeksopzet

Opzet

Onderzoeksmodel: Anders

Blinding: Open / niet geblindeerd

Controle: N.v.t. / onbekend

Deelname

Nederland
Status: Anders
(Verwachte) startdatum: 02-10-2015
Aantal proefpersonen: 300
Type: Onbekend

Ethische beoordeling

Positief advies
Datum: 28-09-2015
Soort: Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL4991
NTR-old	NTR5511
Ander register	METC : 15-N-98

Resultaten