

Evaluation of a randomized controlled trial on the effect on return to work with light therapy/magnetic field therapy and coaching for workers with burnout

Gepubliceerd: 18-09-2014 Laatste bijgewerkt: 15-05-2024

Combination of light therapy / magnetic field therapy can increase return to work by patients suffering from burnout.

Ethische beoordeling	Positief advies
Status	Werving gestart
Type aandoening	-
Onderzoekstype	Interventie onderzoek

Samenvatting

ID

NL-OMON26701

Bron

NTR

Verkorte titel

ROX

Aandoening

work-related chronic stress
burnout, fatigue

Ondersteuning

Primaire sponsor: Coronel Instituut voor Arbeid en Gezondheid, Academisch Medisch Centrum / UvA
Meibergdreef 9, K0-112, 1105 AZ Amsterdam
the Netherlands

T:+31 20 566 2735, F:+31 20 697 7161

Overige ondersteuning: Letec Life Enhancement BV
Ir. Kalffstraat 313a
5617 BM Eindhoven

the Netherlands
T: +31 40 303 0910

FLUXPlus

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

Return to work

Toelichting onderzoek

Achtergrond van het onderzoek

Burnout (work-related chronic stress) is a problem that is common in the workplace, and implies that the employee feels exhausted. It is not only an attack on health, well-being and functioning of the employee, also for the employer and for society it is costly as an employee is absent due to absenteeism costs, lost productivity and medical expenses. The usual treatment of burnout is the cognitive-behavioral approach (coaching) which induced factors that have contributed to the onset of the problem. With this treatment reduction in symptoms and increasing the reintegration of work is the main goal.

Objective:

Letec developed a technique that utilizes the light therapy / magnetic field therapy treatment platform Xentix besides coaching. In order to demonstrate the effectiveness of this method, a "proof of concept" is necessary. This can be obtained by means of a scientific study in which the research question is whether the therapy using light / magnetic field therapy can contribute return to return to work, reducing stress and fatigue and improve the quality of life. The intention is to implement the proven efficacy of the treatment within the care of people with burnout.

Intervention:

Light therapy / magnetic field therapy / coaching treatment for 12 weeks, 2 times a week for 40 minutes on the treatment platform (group 1). A placebo group receives the same

treatment which the light therapy / magnetic field therapy is not activated (group 2) and a control group receives only coaching (group 3).

Study design:

The study is a randomized placebo-controlled study and will take approximately one year in burnout patients (n = 90). Subjects with the aforementioned problems are treated in three groups namely: group 1 receives light therapy / magnetic field- therapy and coaching, group 2 receives the same treatment with the light therapy / magnetic field- therapy which is not activated and Group 3 will only receive coaching.

Study population:

The population consists of employees (18yr -65yr) from the South of the Netherlands with burnout complaints with at least 50% absenteeism

Main study parameters / endpoints:

Return to work score between baseline (week 0) and endpoint (week 12)

Doel van het onderzoek

Combination of light therapy / magnetic field therapy can increase return to work by patients suffering from burnout.

Onderzoeksopzet

baseline week -1

T1 week 6

T2 week 12

T3 week 24

Onderzoeksproduct en/of interventie

Participants will be treated for 12 weeks, 2 times a week for 40 minutes on the treatment platform with light therapy / magnetic field therapy / coaching (group 1). A placebo group receives the same treatment which the light therapy / magnetic field therapy is not activated

(group 2) and a control group receives coaching only (group 3).

Contactpersonen

Publiek

PO Box 22700
J. Sluiter
Academic Medical Center, University of Amsterdam,
Department: Coronel Institute of Occupational Health
Amsterdam 1100 DE
The Netherlands
+31 (0)20 5662735

Wetenschappelijk

PO Box 22700
J. Sluiter
Academic Medical Center, University of Amsterdam,
Department: Coronel Institute of Occupational Health
Amsterdam 1100 DE
The Netherlands
+31 (0)20 5662735

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

- Employees with burnout symptoms between 18 and 65 years with at least 50% sickness absenteeism
- Diagnostic criteria for overstrain (symptoms 0-6 months)
- Not be able to perform total or part of daily work
- Speaking Dutch language

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

- Pregnancy
- Serious somatic problems such as diabetes and epilepsy
- Serious ocular diseases
- Presumption of confusion or severe gloom
- Use of psychotropic drugs other than selective serotonin reuptake inhibitors SSRIs
- Pacemaker / neurostimulators

Onderzoeksopzet

Opzet

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blindering:	Enkelblind
Controle:	Placebo

Deelname

Nederland	
Status:	Werving gestart
(Verwachte) startdatum:	01-11-2014
Aantal proefpersonen:	90
Type:	Verwachte startdatum

Ethische beoordeling

Positief advies	
Datum:	18-09-2014

Soort:

Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

ID: 41105

Bron: ToetsingOnline

Titel:

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL4651
NTR-old	NTR4794
CCMO	NL49345.018.14
OMON	NL-OMON41105

Resultaten

Samenvatting resultaten

N/A