Impact of health centre nurses on the reduction of Early Childhood Caries in Lima, Peru.

Gepubliceerd: 13-04-2014 Laatst bijgewerkt: 18-08-2022

Public health nurses who are trained in providing oral health advices and in inpecting the mouth reduce the prevalence of ECC more than nurses that are not trained.

Ethische beoordeling Niet van toepassing

Status Werving nog niet gestart

Type aandoening -

Onderzoekstype Interventie onderzoek

Samenvatting

ID

NL-OMON27605

Bron

Nationaal Trial Register

Aandoening

Early childhood caries

dental caries, health care system

Ondersteuning

Primaire sponsor: Radboud University Medical Centre, Nijmegen, the netherlands and

University San Martin de Porres, Lima, Peru

Overige ondersteuning: World Dental Association

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

The intervention approach is intended to increase the knowledge of nurses about oral health

1 - Impact of health centre nurses on the reduction of Early Childhood Caries in Lim ... 14-05-2025

and preventive measures, and increases the awareness about the importance of oral health for mothers who attend to the vaccination and well-child offices. It encourages nurses to look inside babies and infants mouths and refer them to the dentist when it's necessary, and consider it normal practice within well-child programmes at health centres. As a result, the number of referrals to the dentist might increase and the nurses knowledge about dental care might rise. Moreover, ECC prevalence might reduce as a consequence of two factors: (1) the oral health preventive advices and check-ups by nurses and if a referral is indicated, (2) the early visit to the dentist for managing the risk factors available in infants and perhaps mothers / caretakers, as well as providing preventive treatments.

Toelichting onderzoek

Achtergrond van het onderzoek

Background. Early Childhood Caries (ECC) is a widespread disease. Its prevalence among 36-47 months-old infants in Lima, Peru, is 65.5%. If proper oral hygiene measures are installed and if the sugar use in the diet is controlled, ECC can be prevented. Many families in deprived areas are not aware of the dangers of sugar-containing foods and beverages and the need to clean the teeth of infants from early age onwards. Dentists do not see these infants and their parents but nurses do. If nurses would be equipped with knowledge on good oral health behaviours and on recognizing signs of ECC in infants early, then they could assist parents in keeping infants' teeth healthy and referring infants with ECC to the health centre dentist for early treatments. The health care system in Peru offers a unique opportunity for integrating these oral health care measures into general health care. The primary aim of the study is to reduce the prevalence of ECC among infants through training them in delivering appropriate oral health care messages to the parents and to recognize signs of ECC in infants.

Design and methods. The study has been designed as a three arms randomized clinical trial. In the active intervention group, pregnant woman will receive oral health information as part of the common health messages in preparation for delivery; nurses will receive an oral health training and they will use a validated oral health card to assist them in providing tooth eruption time related instructions. The passive intervention group will receive the oral health card with instructions for use only while the nurses in the control group will be lectured on oral health once. In the three groups, nurses' knowledge will be evaluated using a validated questionnaire in a pre-post control group design; the pattern of referrals will be obtained from records available in the office of the health centre dentist; the ECC status among three year olds will be assessed at baseline and after three years using a validated caries assessment instrument (CAST) as will the infants' quality of life (B-ECOHIS). Investigators cannot be blinded but examiners will be kept blind as much as possible. Expected impact of the study for public health. Surveillance of ECC at early age at the health centre using a structured oral health card as part of the ongoing well-child programme within the Peruvian health care system may reduce the prevalence of ECC and suffering. Integration of oral health into general health.

Expected impact. Reduction of ECC and become a model for use in other societies.

Doel van het onderzoek

Public health nurses who are trained in providing oral health advices and in inpecting the mouth reduce the prevalence of ECC more than nurses that are not trained.

Onderzoeksopzet

Caries assessment at baseline and after 1, 2 and 3 years.

Knowlegde of nurses assessment after pre- and post-training, after 3 and 9 month.

Quality of life at baseline and 3 years

Onderzoeksproduct en/of interventie

- Pregnant mothers be instructed about good oral health behaviors
- Nurses receive training in diagnosis and preventive oral care (n =?).
- Use of oral health card.
- Caries, plaque and Qol examination for 3-yr olds

Contactpersonen

Publiek

College of Dental Sciences
P.O. Box 9101 J.E. Frencken Nijmegen 6500 HB The Netherlands +31 (0)24 3614050

Wetenschappelijk

College of Dental Sciences

P.O. Box 9101

J.E. Frencken

Nijmegen 6500 HB

The Netherlands

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

newborns during July and September 2014

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

newborns outside this period

Onderzoeksopzet

Opzet

Type: Interventie onderzoek

Onderzoeksmodel: Parallel

Toewijzing: Gerandomiseerd

Blindering: Enkelblind

Controle: Geneesmiddel

Deelname

Nederland

Status: Werving nog niet gestart

(Verwachte) startdatum: 01-01-2013

Aantal proefpersonen: 210

Type: Verwachte startdatum

Ethische beoordeling

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register ID

NTR-new NL4370 NTR-old NTR4510 Ander register : FDI

Resultaten

Samenvatting resultaten

Barriers to adopting and implementing an oral health programme for managing early childhood caries through primary health care providers in Lima, Peru

Eraldo Pesaressi, Rita S Villena, Wil JM van der Sanden, Jan Mulder and Jo E Frencken.

BMC Oral Health 2014, 14:17.