

# Journey II BCS Observational Study

Gepubliceerd: 05-12-2013 Laatste bijgewerkt: 18-08-2022

The goal of this study is to confirm the safety and efficacy of the Journey II BCS knee prosthesis by demonstrating non-inferiority of the cumulative percent success in subjects implanted with the JOURNEY II BCS Total Knee System compared to a...

<b>Ethische beoordeling</b>	Niet van toepassing
<b>Status</b>	Werving nog niet gestart
<b>Type aandoening</b>	-
<b>Onderzoekstype</b>	Observationeel onderzoek, zonder invasieve metingen

## Samenvatting

### ID

NL-OMON27958

### Bron

Nationaal Trial Register

### Aandoening

total knee arthroplasty  
degenerative joint disease

## Ondersteuning

**Primaire sponsor:** Smith & Nephew Orthopaedics AG

Oberneuhofstrasse 10d

6340 Baar

Switzerland

**Overige ondersteuning:** Smith & Nephew Orthopaedics AG

Oberneuhofstrasse 10d

6340 Baar

Switzerland

## Onderzoeksproduct en/of interventie

## Uitkomstmaten

### Primaire uitkomstmaten

- Revision for any reason

For the purpose of this study, “revision” will be defined as the exchange of one or more components.

## Toelichting onderzoek

### Achtergrond van het onderzoek

N/A

### Doel van het onderzoek

The goal of this study is to confirm the safety and efficacy of the Journey II BCS knee prosthesis by demonstrating non-inferiority of the cumulative percent success in subjects implanted with the JOURNEY II BCS Total Knee System compared to a literature reference rate of 94.3% (AOA annual report 201121) at 10 years. “Success” is defined as 10 year survival of the study device without revision for any reason.

A non-inferiority test of the cumulative percent success (defined here above) in subjects implanted with the JOURNEY II BCS Total Knee System compared to a literature reference rate will be the primary test of efficacy in this study. The null hypothesis is  $H_0: P_i - P_0 \geq 0.05$  and the alternative hypothesis is  $H_a: P_i - P_0 < 0.05$ .

### Onderzoeksopzet

Preop

3 Month ( $\pm$  2W)

1Year ( $\pm$  2M)

2 Year ( $\pm$  3M)

5 Year ( $\pm$  6M)

10 Year ( $\pm$  6M)

### Onderzoeksproduct en/of interventie

Only patients who will be treated with the Journey II BCS knee prosthesis as part of their normally planned care will qualify for this study.

## Contactpersonen

### Publiek

Smith & Nephew nv  
Hector Henneaulaan 366

Fleur Derdeyn  
Zaventem 1930  
Belgium  
0032 2 702 29 85

### Wetenschappelijk

Smith & Nephew nv  
Hector Henneaulaan 366

Fleur Derdeyn  
Zaventem 1930  
Belgium  
0032 2 702 29 85

## Deelname eisen

### Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

- subject requires primary total knee arthroplasty with the Journey II BCS Total Knee System, including patella resurfacing
- subject requires primary total knee arthroplasty due to degenerative joint disease (primary osteoarthritis, post-traumatic arthritis, avascular necrosis, rheumatoid arthritis)
- subject is of legal age to consent, agrees to consent to and to follow the study visit schedule (as defined in the study protocol and informed consent form), by signing the EC approved informed consent form
- subject plans to be available through ten (10) years postoperative follow-up

## Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

- age > 75 years
- subjects with immunosuppressive disorders
- subject has severe pronation of the ipsilateral foot or any other relevant clinical condition contributing to abnormal ambulation (including but not limited to ankle fusion, ankle arthroplasty, previous hip fracture, ipsilateral hip arthritis resulting in flexion contracture)
- patient has undergone a previous major surgery to the study knee (including but not limited to osteotomy, fracture fix, medial or lateral ligament surgery)
- subject has active infection or sepsis (treated or untreated)
- At the time of enrollment, subject has one or more of the following arthroplasties that are not fully healed and well-functioning, as determined by the investigator:
  - o ipsilateral or contralateral primary total hip arthroplasty or hip resurfacing arthroplasty
  - o contralateral primary total knee or unicondylar knee arthroplasty
- subject has presence of malignant tumor, metastatic, or neoplastic disease
- subject has conditions that may interfere with the TKA survival or outcome (i.e., Paget's or Charcot's disease, vascular insufficiency, muscular atrophy, uncontrolled diabetes, moderate to severe renal insufficiency or neuromuscular disease)
- subject has inadequate bone stock to support the device (severe osteopenia, family history of severe osteoporosis or osteopenia)
- subject has an emotional or neurological condition that would pre-empt their ability or willingness to participate in the study
- subject has a BMI>40

## Onderzoeksopzet

### Opzet

Type: Observatieel onderzoek, zonder invasieve metingen

Onderzoeksmodel:	Anders
Toewijzing:	N.v.t. / één studie arm
Blinding:	Open / niet geblindeerd
Controle:	N.v.t. / onbekend

## Deelname

Nederland	
Status:	Werving nog niet gestart
(Verwachte) startdatum:	01-01-2014
Aantal proefpersonen:	167
Type:	Verwachte startdatum

## Ethische beoordeling

Niet van toepassing	
Soort:	Niet van toepassing

## Registraties

### Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

### Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

### In overige registers

Register	ID
NTR-new	NL4130
NTR-old	NTR4281
Ander register	: R11009-7
ISRCTN	ISRCTN wordt niet meer aangevraagd.

# Resultaten

## Samenvatting resultaten

N/A