

# PREPARE- pre-pain rehabilitation treatment, in chronic non-specific musculoskeletal pain patients.

Gepubliceerd: 12-09-2011 Laatste bijgewerkt: 18-08-2022

The (cost-)effectiveness of PREPARE (Pre-pain rehabilitation) treatment, a Motivational interviewing (MI)-based nurse-led intervention on motivation and adherence for, and participation after pain rehabilitation treatment in chronic non-specific...

<b>Ethische beoordeling</b>	Positief advies
<b>Status</b>	Werving nog niet gestart
<b>Type aandoening</b>	-
<b>Onderzoekstype</b>	Interventie onderzoek

## Samenvatting

### ID

NL-OMON29174

### Bron

Nationaal Trial Register

### Verkorte titel

PREPARE (Pre-pain rehabilitation)

### Aandoening

Motivational interviewing, Chronic non-specific pain, Rehabilitation

### Ondersteuning

**Primaire sponsor:** Maastricht University

**Overige ondersteuning:** Maastricht University

### Onderzoeksproduct en/of interventie

### Uitkomstmaten

#### Primaire uitkomstmaten

Participation measured by the USER-P.

## Toelichting onderzoek

### Achtergrond van het onderzoek

#### Rationale:

Non-adherence and drop-out are major problems in pain rehabilitation. Motivational interviewing (MI)-based interventions have shown promising effects in reducing non-adherence and drop-out in chronic pain patients. As a consequence this may result in better motivation and patient outcome as well.

Therefore, an MI-based nurse-led pre-pain rehabilitation (MIP intervention) addressing motivation, expectations and beliefs is developed to prepare indicated patients for treatment. MIP is compared with usual care (UC).

#### Objective:

To study the (cost-)effectiveness of MIP (MI-based pre-treatment), compared to UC (usual care) condition as a nurse-led add-on to pain rehabilitation in terms of participation and treatment drop-out in patients with chronic pain.

#### Study design:

A two-armed RCT including two interventions: A Motivational interviewing (MI)-based intervention (= MIP intervention) and a usual care (=UC) control intervention containing health information only, are provided by nurses as pre-treatment before the start of the pain rehabilitation treatment. Follow-up will be 6 months.

#### Study population:

184 (n=92 per arm) patients with chronic non-specific musculoskeletal pain visiting the rehabilitation department in the hospital for an intake interview.

#### Intervention:

2 sessions of the MIP intervention condition and UC condition are provided before the start of the pain rehabilitation treatment. MIP consists of MI-based sessions to prepare and motivate the patient for pain rehabilitation treatment and its bio psychosocial approach. UC consists of education about the aetiology and the rehabilitation approach of chronic pain.

Main study parameters/endpoints:

Primary outcome is the level of participation at the last follow-up measure 6 months after finishing rehabilitation treatment. Secondary outcomes are treatment drop-out and adherence, motivation, pain intensity, credibility of the treatment, self-efficacy, and self-reported main complaints. Costs will be calculated measuring the costs of the MIP-/ UC-condition, productivity losses and health care utilization as well quality of life to account for effect c.q. utility. For the process evaluation, parameters such as exposure to the conditions, experiences, client-centeredness, facilitators, barriers and satisfaction are explored during the pre-treatment.

Nature and extent of the burden and risks associated with participation, benefit and group relatedness:

Patients who are participating in the study need to complete questionnaires with regard to effect evaluation, cost-effectiveness evaluation, and process evaluation at 5 moments (T0, T1, T2, T3, and T4). To reduce the burden for patients the research-related assessments at T0 and T3 will be integrated in the clinical assessment battery of usual care. To complete the questionnaire T0 and T2, T3, T4, 45 minutes are required. T1 takes 20 minutes.

## **Doel van het onderzoek**

The (cost-)effectiveness of PREPARE (Pre-pain rehabilitation) treatment, a Motivational interviewing (MI)-based nurse-led intervention on motivation and adherence for, and participation after pain rehabilitation treatment in chronic non-specific musculoskeletal pain syndrome patients: a randomized controlled trial (RCT).

## **Onderzoeksopzet**

1. Baseline (T0);
2. After two intervention sessions (T1);
3. After the assessment (T2);
4. After the pain rehabilitation treatment (T3);

5. 6 months after T2 (T4).

### **Onderzoeksproduct en/of interventie**

2 appointments each lasting 45 min up to 1h with a trained nurse take place at the department of rehabilitation medicine:

1. In the MIP intervention condition, the sessions are based on Motivational interviewing (MI);
2. In the UC control condition, health information and health education around chronic pain and pain rehabilitation is provided.

Both interventions are provided by separately trained nurses each providing the two conditions. The nurses are experienced in the field of rehabilitation.

## **Contactpersonen**

### **Publiek**

Maastricht University<br>  
Faculty of Health, Medicine and Life Sciences (FHML)<br>  
Department of Rehabilitation Medicine<br>  
Postbus 616  
Vera-Christina Mertens  
Maastricht 6200 MD  
The Netherlands  
+31 (0)43 3882160

### **Wetenschappelijk**

Maastricht University<br>  
Faculty of Health, Medicine and Life Sciences (FHML)<br>  
Department of Rehabilitation Medicine<br>  
Postbus 616  
Vera-Christina Mertens  
Maastricht 6200 MD  
The Netherlands  
+31 (0)43 3882160

## Deelname eisen

### Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

1. Non-specific chronic musculoskeletal pain syndrome;
2. Pain duration >3 months;
3. Over 18 years of age, max. 65 years;
4. Eligible and (as yet) indicated for outpatient pain rehabilitation treatment, main indication criteria: Chronic pain;
5. Adequate literacy to complete assessment measures.

### Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

1. Pregnancy;
2. Surgery planned in the foreseeable future;
3. Patient involved in litigation procedures;
4. Psychopathology which makes the indication for the pain rehabilitation treatment impossible.

## Onderzoeksopzet

### Opzet

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blinding:	Dubbelblind
Controle:	Geneesmiddel

## Deelname

Nederland	
Status:	Werving nog niet gestart
(Verwachte) startdatum:	15-10-2011
Aantal proefpersonen:	184
Type:	Verwachte startdatum

## Ethische beoordeling

Positief advies	
Datum:	12-09-2011
Soort:	Eerste indiening

## Registraties

### Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

### Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

### In overige registers

Register	ID
NTR-new	NL2918
NTR-old	NTR3065
CCMO	NL38087.068.11 / 11-2-073;
ISRCTN	ISRCTN wordt niet meer aangevraagd.

## Resultaten

### Samenvatting resultaten

N/A