

Difference in digestion and absorption of milk proteins

Gepubliceerd: 03-06-2015 Laatst bijgewerkt: 15-05-2024

The following hypothesis will be investigated: - Casein ingested as calcium-caseinate results in a more rapid digestion and absorption, and subsequent whole body net protein balance, as compared to the ingestion of micellar casein. - The ingestion...

Ethische beoordeling	Positief advies
Status	Werving gestopt
Type aandoening	-
Onderzoekstype	Interventie onderzoek

Samenvatting

ID

NL-OMON29333

Bron

NTR

Aandoening

protein digestion and absorption
milk proteins
whole-body protein synthesis
eiwitvertering
melkeiwitten
eiwitsynthese

Ondersteuning

Primaire sponsor: Maastricht University

Overige ondersteuning: Maastricht University

Onderzoeksproduct en/of interventie

Uitkomstmatten

Primaire uitkomstmatten

Toelichting onderzoek

Doel van het onderzoek

The following hypothesis will be investigated:

- Casein ingested as calcium-caseinate results in a more rapid digestion and absorption, and subsequent whole body net protein balance, as compared to the ingestion of micellar casein.
- The ingestion of a calcium-caseinate solution will result in a more rapid digestion and absorption, and subsequent whole body net protein balance, as compared to the ingestion of calcium-caseinate fibers.

Onderzoeksopzet

Blood samples will be taken immediately before ingestion of the protein supplement ($t=0$), and at timepoints: 15, 30, 45, 60, 90, 120, 150, 180, 210, 240, 300 and 360 min.

Onderzoeksproduct en/of interventie

Each subject will participate in one trial, randomly assigned. Intervention consists of the ingestion of an intrinsically labeled protein supplement: micellar casein, calcium caseinate, or caseinate fibers, whereafter regular blood samples are taken.

Contactpersonen

Publiek

School of Nutrition and Translational Research in Metabolism (Nutrim)

Milou Beelen
P.O. Box 616

Maastricht 6200 MD
The Netherlands
T +31 (0)43 3881394

Wetenschappelijk

School of Nutrition and Translational Research in Metabolism (Nutrim)

Milou Beelen
P.O. Box 616

Maastricht 6200 MD
The Netherlands
T +31 (0)43 3881394

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

- Males
- Aged between 18-35 years
- Healthy, recreationally active (participating in recreational sports activities ≥ 3 times per week)
- BMI < 25 kg/m²
- No physical limitations (i.e. able to perform all activities associated with daily living in an independent manner).

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

- Female
- Smoking
- Allergies to milk proteins
- Musculoskeletal disorders
- Use of any medications known to affect protein metabolism (i.e. corticosteroids, non-steroidal anti-inflammatories, or prescribed acne medications).

- Participation in any structured regular exercise program
- Chronic use of gastric acid suppressing medication or anti-coagulants
- Unstable weight over the last three months
- Pathologies of the gastrointestinal tract

Onderzoeksopzet

Opzet

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blinding:	Open / niet geblindeerd
Controle:	Geneesmiddel

Deelname

Nederland	
Status:	Werving gestopt
(Verwachte) startdatum:	01-09-2015
Aantal proefpersonen:	45
Type:	Werkelijke startdatum

Ethische beoordeling

Positief advies	
Datum:	03-06-2015
Soort:	Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

ID: 44783
Bron: ToetsingOnline

Titel:

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL5110
NTR-old	NTR5242
CCMO	NL52798.068.15
OMON	NL-OMON44783

Resultaten