

# The effectiveness and cost-effectiveness of a proprioceptive balance board training programme for the prevention of recurrent acute lateral ankle sprains.

Gepubliceerd: 30-01-2006 Laatst bijgewerkt: 18-08-2022

An unsupervised proprioceptive balance board training programme that is applied after the usual care of individual athletes who have sustained an acute sports-related lateral ankle ligament injury is effective for the prevention of ankle sprain...

<b>Ethische beoordeling</b>	Niet van toepassing
<b>Status</b>	Werving nog niet gestart
<b>Type aandoening</b>	-
<b>Onderzoekstype</b>	Interventie onderzoek

## Samenvatting

### ID

NL-OMON29644

### Bron

NTR

### Verkorte titel

2BFit

### Ondersteuning

**Primaire sponsor:** None

**Overige ondersteuning:** ZonMw - the Netherlands Organisation for Health Research and Development

### Onderzoeksproduct en/of interventie

### Uitkomstmaten

#### Primaire uitkomstmaten

Incidence of ankle sprain recurrences.

# Toelichting onderzoek

## Achtergrond van het onderzoek

There is strong evidence that athletes have a twofold risk for re-injury after a previous ankle sprain, especially during the first year post-injury. These ankle sprain recurrences can result in disability and can lead to chronic pain or instability in 20 to 50% of these cases. When looking at the high rate of ankle sprain recurrences, prolonged rehabilitation is needed in all athletes with ankle sprains in order to prevent ankle sprain recurrences. This prolonged rehabilitation does not need to be supervised by a sports physician or (sports) physical therapist and might also suffice if the injured athletes are encouraged to follow a preventive programme for a certain period of time after their usual care. Such an unsupervised preventive programme would keep the medical costs associated with a prolonged rehabilitation period to a minimum, would have no additional demand on medical practitioners, and would have large potential positive effects in terms of health and direct medical costs due to ankle sprain recurrences. The proposed study evaluates the effect of a proprioceptive balance board training programme on ankle sprain recurrences that is applied to individual athletes after rehabilitation and treatment by usual care. Injured athletes will be recruited through emergency rooms, and will be randomised to an intervention group and a control group, with stratification for gender and injury grade. The primary outcome measure will be incidence of ankle sprain recurrences. Secondary outcome measures will include recurrence severity, pain, feeling of instability, direct and indirect injury costs, and intermediary factors such as knowledge and attitude regarding the prevention of ankle sprain recurrences.

## Doel van het onderzoek

An unsupervised proprioceptive balance board training programme that is applied after the usual care of individual athletes who have sustained an acute sports-related lateral ankle ligament injury is effective for the prevention of ankle sprain recurrences.

## Onderzoeksproduct en/of interventie

All subjects will be treated by means of 'usual care' of their own choice. After treatment subjects of the intervention group will receive the intervention programme consisting of a 8-week proprioceptive balance board training programme.

# Contactpersonen

## Publiek

VU University Medical Center, EMGO-Institute,

Van der Boechorststraat 7  
M. Hupperets  
Van der Boechorststraat 7  
Amsterdam 1081 BT  
The Netherlands  
+31 (0)20 4448298 / 06 43562738

## **Wetenschappelijk**

VU University Medical Center, EMGO-Institute,  
Van der Boechorststraat 7  
M. Hupperets  
Van der Boechorststraat 7  
Amsterdam 1081 BT  
The Netherlands  
+31 (0)20 4448298 / 06 43562738

## **Deelname eisen**

### **Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)**

Athletes visiting the emergency room due to a sports related acute ankle sprain.

### **Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)**

N/A

## **Onderzoeksopzet**

### **Opzet**

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Blinding:	Open / niet geblindeerd
Controle:	Geneesmiddel

## Deelname

Nederland  
Status: Werving nog niet gestart  
(Verwachte) startdatum: 01-08-2005  
Aantal proefpersonen: 1052  
Type: Verwachte startdatum

## Ethische beoordeling

Niet van toepassing  
Soort: Niet van toepassing

## Registraties

### Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

### Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

## In overige registers

Register	ID
NTR-new	NL535
NTR-old	NTR579
Ander register	: N/A
ISRCTN	ISRCTN34177180

## Resultaten

### Samenvatting resultaten

N/A